

Conduit & Fitting

Grounding, Lightning

Explosion Protected

Wiring Accessories

Sockets, Boxes

Lightings

CATALOGUE

AP[®]
AN PHUC

www.anphuc.vn

ABOUT US

OUR VISION

To be the supplier of choice of our customers and be their partner in their business needs.

OUR MISSION

To distribute high-quality products with a continued commitment to customers' and employees' satisfaction, thereby guaranteeing continuous company growth.

OUR CORE VALUES - *Because we CARE!*

Commitment - We do what we say and we own what we do.

Adaptability - We adapt to change or perish in a changing world.

Respect - We know it's nice to be important but it's important to be nice.

Enthusiasm - We love our work and we work with love.

OUR STORY

An Phuc Mechanical Electrical Equipment Company Limited, a Trading & Manufacturing Company with wide distribution network in Viet Nam market and exporting to other countries in the world.

Established in the year 2002, we have a Head office located in Ho Chi Minh City and Factory in Tay Ninh province.

With many year experiences in providing industrial electrical equipments, we become a leading Distributor and Manufacturer of high quality products ranges & famous brands as mentioned below:

- Steel & PVC conduits	: An Phuc, Smartube, Unipipe, Blue Eagle
- Clamping & Conduit fitting	: An Phuc, Caddy, Steel City
- Cable Tray, Trungking, Ladder	: An Phuc, Unipipe
- Lightning & Grounding systems	: An Phuc, Kumwell, Hex
- Lighting Fixture, Socket Outlet, Switch	: Legrand, Gewiss
- Explosion proof equipment	: Govan, Gewiss, Bosston, CMP, Feel
- Fire resistant cable, Electric wires	: TMC, Untel, Wilson, Draka
- Wiring Accessories	: PB, KSS, Hex

All products are tested by the International recognized testing stations, according to Standards of IEC, UL, BSEN, ATEX, JIS, TIS... Especially, for hazardous areas certified Zone 1 & 2, 21 & 22 Such as: IEC 60079 (ATEX), IEC 60679-1, IEC 60079-15, IEC 61241-0, IEC 61241-1. Providing for Oil & Gas, Chemical, Marine, Cement and other Industrial Projects, An Phuc always commit to provide you our products with the best quality, best prices and best services through an ongoing commitment to development. This has made An Phuc successfully and reputed in the market of Viet Nam.

CERTIFICATES


• MANAGEMENT QUALITY CERTIFICATES & REGISTRATION BRAND NAME




An Phuoc ISO 9001:2015



Smartube ISO



An Phuoc Brand



An Phuoc Logo

• PRODUCTS QUALITY CERTIFICATES



UL1242



JIS C



Test UL797 - EMT Conduit



Test UL1242 - IMC Conduit



Test UL6 - RSC Conduit



Test BS31/4568



Test UL360




Load Test and Coating Test

Content

EMT & IMC Conduit - AN PHUC, BLUE EAGLE

12



RSC, BS31, BS4568 Conduit - AN PHUC

13



EMT, IMC Conduit - SMARTUBE, PANASONIC

14




RSC, BS31, BS4568 Conduit - TAS, SMARTUBE, PANASONIC

15



JIS Conduit - AN PHUC

16



Flexible Conduit - AN PHUC

17



Flexible Conduit - AN PHUC, UNION, BOSSTON

18



Elbow

19



JIS Elbow

20



Elbow

21



Bender

21



EMT & IMC Coupling

22



BS & JIS Coupling

23



EMT Connector

24



EMT Connector

24



Flexible Connector

25



Content

Flexible Connector

25



Flexible Connector

26



Flexible Connector

26



EMT & IMC Bushing

27




Bushing - Locknut

28



Locknut- Chase Nipple

29



Nipple

30




End Plug - Nail Strap

31



IMC/RSC/BS Reducers

32



Strap

33



Handy Box

34



Square Box

35



Octagon Box

36



EMT Outlet Boxes

37



IMC/RSC Outlet Boxes

38



BS Outlet Boxes

39



Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6256 2125 / Fax: (84.28) 6256 2126 / Email: info@anphuc.vn

Content

JIS Outlet Boxes

40



EMT Junction Box - Water Proof (IP55)

41



IMC/RSC Junction Box - Water Proof (IP55)

42



BS Junction Boxes

43



JIS Junction Boxes

44



F.S Box

45



F.S Box

46



Pull Box

47



Unistrut

48



Thread Rod, Hexagon Coupling, Hexagon Nut, Washer, Anchor

49



Spring Nut, D Clip

50



Strut Fitting

51



U Bolt, Swivel Loop Hanger, Clevis Pipe Hanger

52



Macrofix, Loop Hanger, Beam Clamp

53



HB2, Beam Clamp

54



Caddy Strut Fitting

55



Content

Caddy Strut Fitting

56



Strut Fitting

57



Strut Fitting

58



Strut Fitting

59



Strut Fitting

60



Strut Fitting

61



Strut Fitting

62



Strut Fitting

63



Strut Fitting

64



Cable Trunking, Cable Tray

65




Cable Ladder, Wire Mesh

66



Fittings Cable Trunking, Cable Tray, Cable Ladder, Wire Mesh

67



V, I steel

68



H, U, Plate steel

69



Square Hollow Steel

70



EMT, IMC CONDUIT - AN PHUC, BLUE EAGLE

- **Standard** : UL797/ ANSI - C80.3
- Material** : Galvanized, Hot dip galvanized

Trade Size (In)	Code		Outside Dia	Wall Thickness	Length
	Galvanized	Hot dip galvanized	(mm)	(mm)	(m)
1/2"	EMT11	HEMT11	17.9	1.07	3.05
3/4"	EMT12	HEMT12	23.4	1.25	3.05
1"	EMT13	HEMT13	29.5	1.45	3.05
1-1/4"	EMT14	HEMT14	38.3	1.65	3.05
1-1/2"	EMT15	HEMT15	44.2	1.65	3.05
2"	EMT16	HEMT16	55.8	1.65	3.05

TOLERANCE
Outside Diameter : ± 0.3 mm

Wall Thickness : ± 10%

Length : ± 6.4 mm

- **Standard** : UL1242/ ANSI - C80.6
- Material** : Galvanized, Hot dip galvanized

Trade Size (In)	Code		Outside Dia	Wall Thickness	Length
	Galvanized	Hot dip galvanized	(mm)	(mm)	(m)
1/2"	IMC21	HIMC21	20.7	1.79	3.05
3/4"	IMC22	HIMC22	26.1	1.90	3.05
1"	IMC23	HIMC23	32.8	2.16	3.05
1-1/4"	IMC24	HIMC24	41.6	2.16	3.05
1-1/2"	IMC25	HIMC25	47.8	2.29	3.05
2"	IMC26	HIMC26	59.9	2.41	3.05
2-1/2"	IMC27	HIMC27	72.6	3.56	3.05
3"	IMC28	HIMC28	88.3	3.56	3.05
3-1/2"	IMC29	HIMC29	100.9	3.56	3.05
4"	IMC30	HIMC30	113.4	3.56	3.05

TOLERANCE
Outside Diameter : ± 0.2 mm (for 1/2" - 1") ± 0.3 mm (for 1 1/4" - 4")

Wall Thickness : ± 0.2 mm (for 1/2" - 2") ± 0.3 mm (for 2 1/2" - 4")

Length : ± 6.4 mm

STEEL CONDUIT
EMT

STEEL CONDUIT
IMC


RSC, BS31, BS4568 CONDUIT - AN PHUC

- **Standard** : UL6/ ANSI - C80.1

Material : Hot dip galvanized

Trade Size (In)	Code	Outsize Dia	Insize Dia	Wall Thickness	Length
		(mm)	(mm)	(mm)	(m)
1/2"	RSC21	21.3	16.1	2.64	3.03
3/4"	RSC22	26.7	21.2	2.72	3.03
1"	RSC23	33.4	27.0	3.20	3.03
1-1/4"	RSC24	42.2	35.4	3.38	3.03
1-1/2"	RSC25	48.3	41.2	3.51	3.03
2"	RSC26	60.3	52.9	3.71	3.03
2-1/2"	RSC27	73.0	63.2	4.90	3.01
3"	RSC28	88.9	78.5	5.21	3.01
3-1/2"	RSC29	101.6	90.7	5.46	3.01
4"	RSC30	114.3	102.9	5.72	3.01
5"	RSC31	141.3	128.9	6.22	3.00
6"	RSC32	168.0	154.8	6.76	3.00

STEEL CONDUIT

RSC



- **Standard** : BS31 - Class 2, Class 3, Class 4

Material : Galvanized, Hot dip galvanized

Trade Size (In)	Code		Outsize Dia		Wall Thickness	Length
	Galvanized	Hot dip galvanized	(mm)	(in)	(mm)	(m)
3/4"	BS12	HBS12	18.9	0.745	1.6	3.81
1"	BS13	HBS13	25.2	0.993	1.6	3.81
1-1/4"	BS14	HBS14	31.6	1.245	1.6	3.81
1-1/2"	BS15	HBS15	37.9	1.493	1.8	3.81
2"	BS16	HBS16	50.6	1.992	2.0	3.81

STEEL CONDUIT

BS31



- **Standard** : BS4568 - Class 2, Class 3, Class 4

Material : Galvanized, Hot dip galvanized

Trade Size (mm)	Code		Outsize Dia	Wall Thickness	Length
	Galvanized	Hot dip galvanized	(mm)	(mm)	(m)
20	BS20	HBS20	19.85	1.6	3.75
25	BS25	HBS25	24.80	1.6	3.75
32	BS32	HBS32	31.80	1.6	3.75
40	BS40	HBS40	38.10	1.8	3.75
50	BS50	HBS50	50.80	2.0	3.75

STEEL CONDUIT

BS4568


TOLERANCE

Outside Diameter : ± 0.15 mm

Wall Thickness : ± 0.15 mm

Length : ± 6.4 mm

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

EMT, IMC CONDUIT - SMARTUBE, PANASONIC

- **Standard** : UL797/ ANSI - C80.3
- Material** : Hot dip galvanized

Trade Size (In)	Code		Outside Dia (mm)	Wall Thickness (mm)	Length (m)	Weight (kgs/length)
	SMARTUBE - MALAYSIA	PANASONIC - THAILAND				
1/2"	S-EMT11	P-EMT11	17.9	1.07	3.05	1.46
3/4"	S-EMT12	P-EMT12	23.4	1.25	3.05	2.21
1"	S-EMT13	P-EMT13	29.5	1.45	3.05	3.08
1-1/4"	S-EMT14	P-EMT14	38.4	1.65	3.05	4.74
1-1/2"	S-EMT15	P-EMT15	44.2	1.65	3.05	5.49
2"	S-EMT16	P-EMT16	55.8	1.65	3.05	6.99

TOLERANCE

Outside Diameter : ± 0.3 mm

Wall Thickness : ± 10%

Length : ± 6.4 mm

- **Standard** : UL1242/ ANSI - C80.6
- Material** : Hot dip galvanized

Trade Size (In)	Code		Outside Dia (mm)	Wall Thickness (mm)	Length (m)	Weight (Kgs/length)
	SMARTUBE - MALAYSIA	PANASONIC - THAILAND				
1/2"	S-IMC21	P-IMC21	20.7	1.79	3.05	2.81
3/4"	S-IMC22	P-IMC22	26.1	1.90	3.05	3.81
1"	S-IMC23	P-IMC23	32.8	2.16	3.05	5.40
1-1/4"	S-IMC24	P-IMC24	41.6	2.16	3.05	7.17
1-1/2"	S-IMC25	P-IMC25	47.8	2.29	3.05	8.80
2"	S-IMC26	P-IMC26	59.9	2.41	3.05	11.61
2-1/2"	S-IMC27	P-IMC27	72.6	3.56	3.05	20.00
3"	S-IMC28	P-IMC28	88.3	3.56	3.05	24.63
3-1/2"	S-IMC29	P-IMC29	100.9	3.56	3.05	28.53
4"	S-IMC30	P-IMC30	113.4	3.56	3.05	31.75

TOLERANCE

Outside Diameter : ± 0.2 mm (for 1/2" - 1") ± 0.3 mm (for 1 1/4" - 4")

Wall Thickness : ± 0.2 mm (for 1/2" - 2") ± 0.3 mm (for 2 1/2" - 4")

Length : ± 6.4 mm

STEEL CONDUIT

EMT



STEEL CONDUIT

IMC



RSC, BS31, BS4568 CONDUIT - TAS, SMARTUBE, PANASONIC

- **Standard** : UL6/ ANSI - C80.1

Material : Hot dip galvanized

Trade Size (In)	Code		Outsize Dia	Insize Dia	Wall Thickness	Length	Weight
	TAS - THAILAND	PANASONIC - THAILAND	(mm)	(mm)	(mm)	(m)	(kgs/length)
1/2"	T-RSC21	P-RSC21	21.3	16.1	2.64	3.03	3.58
3/4"	T-RSC22	P-RSC22	26.7	21.2	2.72	3.03	4.76
1"	T-RSC23	P-RSC23	33.4	27.0	3.20	3.03	6.94
1-1/4"	T-RSC24	P-RSC24	42.2	35.4	3.38	3.03	9.11
1-1/2"	T-RSC25	P-RSC25	48.3	41.2	3.51	3.03	11.30
2"	T-RSC26	P-RSC26	60.3	52.9	3.71	3.03	15.10
2-1/2"	T-RSC27	P-RSC27	73.0	63.2	4.90	3.01	23.90
3"	T-RSC28	P-RSC28	88.9	78.5	5.21	3.01	31.00
3-1/2"	T-RSC29	P-RSC29	101.6	90.7	5.46	3.01	37.30
4"	T-RSC30	P-RSC30	114.3	102.9	5.72	3.01	44.10
5"	T-RSC31	P-RSC31	141.3	128.9	6.22	3.00	59.60
6"	T-RSC32	P-RSC32	168.0	154.8	6.76	3.00	79.20

STEEL CONDUIT

RSC


- **Standard** : BS31 - Class 3, Class 4

Material : Hot dip galvanized

Trade Size (In)	Code	Outsize Dia		Wall Thickness	Length	Weight
	SMARTUBE - MALAYSIA	(mm)	(in)	(mm)	(m)	(kgs/length)
3/4"	S-BS12	18.9	0.745	1.6	3.81	2.67
1"	S-BS13	25.2	0.993	1.6	3.81	3.62
1-1/4"	S-BS14	31.6	1.245	1.6	3.81	4.57
1-1/2"	S-BS15	37.9	1.493	1.8	3.81	6.25
2"	S-BS16	50.6	1.992	2.0	3.81	9.30

STEEL CONDUIT

BS31


- **Standard** : BS4568 - Class 3, Class 4

Material : Hot dip galvanized

Trade Size (mm)	Code	Outsize Dia		Wall Thickness	Length	Weight
	SMARTUBE - MALAYSIA	(mm)	(in)	(mm)	(m)	(kgs/length)
20	S-BS20	19.85		1.6	3.75	2.67
25	S-BS25	24.80		1.6	3.75	3.39
32	S-BS32	31.80		1.6	3.75	4.44

STEEL CONDUIT

BS4568

TOLERANCE

Outside Diameter : ± 0.15 mm

Wall Thickness : ± 0.15 mm

Length : ± 6.4 mm

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

JIS CONDUIT - AN PHUC

- **Standard : JIS C 8305 Type E**
Material : Galvanized, Hot dip galvanized

Trade Size (mm)	Code		Outside Dia (mm)	Wall Thickness (mm)	Length (m)
	Galvanized	Hot dip galvanized			
19	JE19	HJE19	19.10	1.20	3.66
25	JE25	HJE25	25.40	1.20	3.66
31	JE31	HJE31	31.80	1.40	3.66
39	JE39	HJE39	38.10	1.40	3.66
51	JE51	HJE51	50.80	1.40	3.66
63	JE63	HJE63	63.50	1.60	3.66
75	JE75	HJE75	76.20	1.80	3.66



- **Standard : JIS C 8305 Type C**
Material : Galvanized, Hot dip galvanized

Trade Size (mm)	Code		Outside Dia (mm)	Wall Thickness (mm)	Length (m)
	Galvanized	Hot dip galvanized			
19	JC19	HJC19	19.10	1.60	3.66
25	JC25	HJC25	25.40	1.60	3.66
31	JC31	HJC31	31.80	1.60	3.66
39	JC39	HJC39	38.10	1.60	3.66
51	JC51	HJC51	50.80	1.60	3.66
63	JC63	HJC63	63.50	2.00	3.66
75	JC75	HJC75	76.20	2.00	3.66



- **Standard : JIS C 8305 Type G**
Material : Galvanized, Hot dip galvanized

Trade Size (mm)	Code		Outside Dia (mm)	Wall Thickness (mm)	Length (m)
	Galvanized	Hot dip galvanized			
16	JG16	HJG16	21.00	2.30	3.66
22	JG22	HJG22	26.50	2.30	3.66
28	JG28	HJG28	33.30	2.50	3.66
36	JG36	HJG36	41.90	2.50	3.66
42	JG42	HJG42	47.80	2.50	3.66
54	JG54	HJG54	59.60	2.80	3.66
70	JG70	HJG70	75.20	2.80	3.66
82	JG82	HJG82	87.90	2.80	3.66
92	JG92	HJG892	100.70	3.50	3.66
104	JG104	HJG104	113.40	3.50	3.66



TOLERANCE

Outside Diameter : ± 0.3 mm

Wall Thickness : ± 10%

Length : ± 6.4 mm

Length other: 3.0m and 6.0m

FLEXIBLE CONDUIT - AN PHUC, ARROWTITE

- **Standard** : UL1
Material : Galvanized

Trade Size (In)	Code	Inside Dia (mm)	Outside Dia (mm)	Length of Each Roll (m)
3/8"	HFD10	12.9	15.7	100
1/2"	HFD11	16.4	18.8	50
3/4"	HFD12	19.3	24.0	50
1"	HFD13	25.3	29.9	30
1-1/4"	HFD14	31.0	37.9	15
1-1/2"	HFD15	38.3	49.5	15
2"	HFD16	51.6	61.9	15
2-1/2"	HFD17	63.5	73.8	10
3"	HFD18	76.3	88.6	10
4"	HFD20	100.6	111.3	10

FLEXIBLE METAL CONDUIT - AN PHUC, ARROWTITE


- **Standard** : BS 731/ IEC 61386
Material : Galvanized
Color : Black

Trade Size (In)	Code	Inside Dia (mm)	Outside Dia (mm)	Length of Each Roll (m)
3/8"	MCR10	12.4	16.9	100
1/2"	MCR11	16.1	20.5	50
3/4"	MCR12	20.9	25.8	50
1"	MCR13	26.3	32.0	50
1-1/4"	MCR14	34.9	41.2	25
1-1/2"	MCR15	40.2	47.1	25
2"	MCR16	51.6	58.5	20
2-1/2"	MCR17	63.5	71.9	10
3"	MCR18	78.3	87.4	10
4"	MCR20	101.8	111.8	10


PVC COATED FLEXIBLE CONDUIT - AN PHUC, ARROWTITE


FLEXIBLE CONDUIT - AN PHUC, UNION, BOSSTON

- **Waterproof, oil resistant**
- **Standard : UL360**
- **Material : Galvanized**
- **Color : Black, Grey**

Trade Size (In)	Code	Length of Each Roll	Code	Length of Each Roll	Inside Dia	Outside Dia
	Black Color	(m)	Grey Color	(m)	(mm)	(mm)
1/2"	EF050B	60	EF050	60	16.3	21.3
3/4"	EF075B	30	EF075	30	21.2	26.7
1"	EF100B	30	EF100	30	26.8	33.4
1-1/4"	EF125B	15	EF125	15	35.4	42.2
1-1/2"	EF150B	15	EF150	15	40.6	48.3
2"	EF200B	15	EF200	15	51.9	60.3
2-1/2"	EF250B	10	EF250	7.5	63.6	73.0
3"	EF300B	10	EF300	7.5	78.7	88.9
4"	EF400B	10	EF400	7.5	102.6	114.3

- **Standard : UL 1203/ UL2225**
- **Material : Stainless Steel**
- **Connection : Brass**
- **Union : Cast Aluminium**



LIQUID TIGHT FLEXIBLE CONDUIT - AN PHUC, UNION



Trade Size (In)	Dimention			Code		
	A	B	C	30 cm	60 cm	100 cm
1/2"	56	20	49	ECUN130	ECUN160	ECUN1100
3/4"	58	21	55	ECUN230	ECUN260	ECUN2100
1"	65	27	63	ECUN330	ECUN360	ECUN3100
1-1/4"	65	29	71	ECUN430	ECUN460	ECUN4100
1-1/2"	75	31	83	ECUN530	ECUN560	ECUN5100
2"	83	33	104	ECUN630	ECUN660	ECUN6100
2-1/2"	83	39	127	ECUN730	ECUN760	ECUN7100
3"	93	39	135	ECUN830	ECUN860	ECUN8100
3-1/2"	95	43	158	ECUN930	ECUN960	ECUN9100
4"	95	43	163	ECUN1030	ECUN1060	ECUN10100

Other Length: 40cm, 50cm, 80cm, 90cm

- **Material : Stainless Steel 304 Coated, Galvanized Strip**

Trade Size (mm)	Code	Inside Dia (mm)	Outside Dia (mm)	Length of Each Roll (m)
3/8"	BFD10	12.90	15.90	50
1/2"	BFD11	16.40	19.10	50
3/4"	BFD12	19.30	26.00	50
1"	BFD13	25.30	31.00	30
1-1/4"	BFD14	31.00	38.20	15
1-1/2"	BFD15	38.30	50.20	15
2"	BFD16	51.60	62.80	15
2-1/2"	BFD17	63.50	74.90	10
3"	BFD18	76.30	89.80	10
4"	BFD20	100.60	112.20	10

EXPLOSION PROOF FLEXIBLE CONDUIT - BOSSTON



INOX COATED FLEXIBLE CONDUIT - AN PHUC



CONDUIT FITTINGS

• EMT Elbow - 45°



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	EBA11	HEBA11
3/4"	EBA12	HEBA12
1"	EBA13	HEBA13
1-1/4"	EBA14	HEBA14
1-1/2"	EBA15	HEBA15
2"	EBA16	HEBA16
Screw Elbow		
1/2"	EBA21	HEBA21
3/4"	EBA22	HEBA22
1"	EBA23	HEBA23
1-1/4"	EBA24	HEBA24
1-1/2"	EBA25	HEBA25
2"	EBA26	HEBA26

• EMT Elbow - 90°



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	EB11	HEB11
3/4"	EB12	HEB12
1"	EB13	HEB13
1-1/4"	EB14	HEB14
1-1/2"	EB15	HEB15
2"	EB16	HEB16
Screw Elbow		
1/2"	EB21	HEB21
3/4"	EB22	HEB22
1"	EB23	HEB23
1-1/4"	EB24	HEB24
1-1/2"	EB25	HEB25
2"	EB26	HEB26

• IMC/ RSC Elbow - 45°



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	IBA21	HIBA21
3/4"	IBA22	HIBA22
1"	IBA23	HIBA23
1-1/4"	IBA24	HIBA24
1-1/2"	IBA25	HIBA25
2"	IBA26	HIBA26
2-1/2"	IBA27	HIBA27
3"	IBA28	HIBA28
3-1/2"	IBA29	HIBA29
4"	IBA30	HIBA30

• IMC/ RSC Elbow - 90°



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	IB21	HIB21
3/4"	IB22	HIB22
1"	IB23	HIB23
1-1/4"	IB24	HIB24
1-1/2"	IB25	HIB25
2"	IB26	HIB26
2-1/2"	IB27	HIB27
3"	IB28	HIB28
3-1/2"	IB29	HIB29
4"	IB30	HIB30

• BS31/ BS4568 Elbow - 45°



Size	Code	
	Galvanized	Hot Dip Galvanized
BS31 Elbow		
3/4"	SBA12	HSBA12
1"	SBA13	HSBA13
1-1/4"	SBA14	HSBA14
1-1/2"	SBA15	HSBA15
2"	SBA16	HSBA16
BS4568 Elbow		
20(mm)	SBA20	HSBA20
25 (mm)	SBA25	HSBA25
32 (mm)	SBA32	HSBA32
40 (mm)	SBA40	HSBA40
50 (mm)	SBA50	HSBA50

• BS31/ BS4568 Elbow - 90°



Size	Code	
	Galvanized	Hot Dip Galvanized
BS31 Elbow		
3/4"	SB12	HSB12
1"	SB13	HSB13
1-1/4"	SB14	HSB14
1-1/2"	SB15	HSB15
2"	SB16	HSB16
BS4568 Elbow		
20(mm)	SB20	HSB20
25 (mm)	SB25	HSB25
32 (mm)	SB32	HSB32
40 (mm)	SB40	HSB40
50 (mm)	SB50	HSB50

AN PHUC CONDUIT FITTINGS

• JIS E Elbow - 45°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
19	EEBA19	HEEBA19
25	EEBA25	HEEBA25
31	EEBA31	HEEBA31
39	EEBA39	HEEBA39
51	EEBA51	HEEBA51
63	EEBA63	HEEBA63
75	EEBA75	HEEBA75

• JIS E Elbow - 90°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
19	EEB19	HEEB19
25	EEB25	HEEB25
31	EEB31	HEEB31
39	EEB39	HEEB39
51	EEB51	HEEB51
63	EEB63	HEEB63
75	EEB75	HEEB75

• JIS C Elbow - 45°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
19	CIBA19	HCIBA19
25	CIBA25	HCIBA25
31	CIBA31	HCIBA31
39	CIBA39	HCIBA39
51	CIBA51	HCIBA51
63	CIBA63	HCIBA63
75	CIBA75	HCIBA75

• JIS C Elbow - 90°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
19	CIB19	HCIB19
25	CIB25	HCIB25
31	CIB31	HCIB31
39	CIB39	HCIB39
51	CIB51	HCIB51
63	CIB63	HCIB63
75	CIB75	HCIB75

• JIS G Elbow - 45°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
16	GIBA16	HGIBA16
22	GIBA22	HGIBA22
28	GIBA28	HGIBA28
36	GIBA36	HGIBA36
42	GIBA42	HGIBA42
54	GIBA54	HGIBA54
70	GIBA70	HGIBA70
82	GIBA82	HGIBA82
92	GIBA92	HGIBA92
104	GIBA104	HGIBA104

• JIS G Elbow - 90°



Size (mm)	Code	
	Galvanized	Hot Dip Galvanized
16	GIB16	HGIB16
22	GIB22	HGIB22
28	GIB28	HGIB28
36	GIB36	HGIB36
42	GIB42	HGIB42
54	GIB54	HGIB54
70	GIB70	HGIB70
82	GIB82	HGIB82
92	GIB92	HGIB92
104	GIB104	HGIB104

AN PHUC CONDUIT FITTINGS

• EMT Angle Elbow - Zinc Alloy



Size	Code
1/2"	EAB11
3/4"	EAB12
1"	EAB13

• IMC/ RSC Angle Elbow - Zinc Alloy



Size	Code
1/2"	IAB21
3/4"	IAB22
1"	IAB23

• Inspection EMT Round Elbow - Zinc Alloy



Size	Code
1/2"	IEB11
3/4"	IEB12
1"	IEB13
1 1/4"	IEB14

• Inspection EMT Tee - Zinc Alloy



Size	Code
1/2"	IOT11
3/4"	IOT12
1"	IOT13

• Inspection IMC/RSC Round Elbow - Zinc Alloy



Size	Code
1/2"	IIB21
3/4"	IIB22
1"	IIB23
1 1/4"	IIB24

• Inspection IMC/RSC Tee - Zinc Alloy



Size	Code
1/2"	IOT21
3/4"	IOT22
1"	IOT23

• Inspection JIS E Round Elbow - Zinc Alloy



Size	Code
19	EIEB19
25	EIEB25
31	EIEB31

• Inspection JIS E Tee - Zinc Alloy



Size	Code
19	EIOT19
25	EIOT25
31	EIOT31

• Inspection JIS C Round Elbow - Zinc Alloy



Size	Code
19	CIIB19
25	CIIB25
31	CIIB31

• Inspection JIS C Tee - Zinc Alloy



Size	Code
19	CIOT19
25	CIOT25
31	CIOT31

• Inspection JIS G Round Elbow - Zinc Alloy



Size	Code
16	GIIB16
22	GIIB22
28	GIIB28

• Inspection JIS G Tee - Zinc Alloy



Size	Code
16	GIOT16
22	GIOT22
28	GIOT28

• EMT Bender - Aluminium Alloy



Size	Code
1/2"	BD11
3/4"	BD12
1"	BD13

• EMT Bender W/Handle - Aluminium Alloy



Size	Code
1/2"	BDH11
3/4"	BDH12
1"	BDH13

• EMT Bender Ductile Iron



Size	Code
1/2"	IBD11
3/4"	IBD12
1"	IBD13
1-1/4"	IBD14

• IMC Bender



Size	Code
1/2"~ 3/4"	HK212
1"~ 1-1/4"	HK234

CONDUIT FITTINGS

• EMT Coupling - Zinc Alloy



Size	Code
1/2"	EP11
3/4"	EP12
1"	EP13
1-1/4"	EP14
1-1/2"	EP15
2"	EP16

• EMT Coupling - Steel



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	MEP11	HMEP11
3/4"	MEP12	HMEP12
1"	MEP13	HMEP13
1-1/4"	MEP14	HMEP14
1-1/2"	MEP15	HMEP15
2"	MEP16	HMEP16

• Compression IMC/RSC Coupling - Zinc Alloy



Size	Code
1/2"	RCP11
3/4"	RCP12
1"	RCP13
1-1/4"	RCP14
1-1/2"	RCP15
2"	RCP16
2-1/2"	RCP17
3"	RCP18
4"	RCP20

• Compression IMC/RSC Coupling - Steel



Size	Code
1/2"	MRCP11
3/4"	MRCP12
1"	MRCP13
1-1/4"	MRCP14
1-1/2"	MRCP15
2"	MRCP16
2-1/2"	MRCP17
3"	MRCP18
4"	MRCP20

• IMC/RSC Coupling



Size	Code		
	Galvanized	Hot Dip Galvanized	
1/2"	IP21	HIP21	RIP21
3/4"	IP22	HIP22	RIP22
1"	IP23	HIP23	RIP23
1-1/4"	IP24	HIP24	RIP24
1-1/2"	IP25	HIP25	RIP25
2"	IP26	HIP26	RIP26
2-1/2"	IP27	HIP27	RIP27
3"	IP28	HIP28	RIP28
3-1/2"	IP29	HIP29	RIP29
4"	IP30	HIP30	RIP30

• IMC-EMT Connector - Steel



Size	Code
1/2"	IEP21
3/4"	IEP22
1"	IEP23
1-1/4"	IEP24
1-1/2"	IEP25
2"	IEP26

AN PHUC CONDUIT FITTINGS

• Union IMC/RSC Coupling - Zinc Alloy



Size	Code
1/2"	ERS21
3/4"	ERS22
1"	ERS23
1-1/4"	ERS24
1-1/2"	ERS25
2"	ERS26
2-1/2"	ERS27
3"	ERS28
3-1/2"	ERS29
4"	ERS30

• BS Coupling - Steel



Size	Code
BS31	
3/4"	SP12
1"	SP13
1-1/4"	SP14
1-1/2"	SP15
2"	SP16
BS4568	
20 (mm)	SP20
25 (mm)	SP25
32 (mm)	SP32
40 (mm)	SP40
50 (mm)	SP50

• JIS E Coupling - Galvanized



Size	Code
19	EEP19
25	EEP25
31	EEP31
39	EEP39
51	EEP51
63	EEP63
75	EEP75

• JIS E Coupling - Hot dip galvanized



Size	Code
19	HEEP19
25	HEEP25
31	HEEP31
39	HEEP39
51	HEEP51
63	HEEP63
75	HEEP75

• JIS C Coupling - Galvanized



Size	Code
19	CIP19
25	CIP25
31	CIP31
39	CIP39
51	CIP51
63	CIP63
75	CIP75

• JIS C Coupling - Hot dip galvanized



Size	Code
19	HCIP19
25	HCIP25
31	HCIP31
39	HCIP39
51	HCIP51
63	HCIP63
75	HCIP75

• JIS G Coupling - Galvanized



Size	Code
16	GIP16
22	GIP22
28	GIP28
36	GIP36
42	GIP42
54	GIP54
70	GIP70
82	GIP82
92	GIP92
104	GIP104

• JIS G Coupling - Hot dip galvanized



Size	Code
16	HGIP16
22	HGIP22
28	HGIP28
36	HGIP36
42	HGIP42
54	HGIP54
70	HGIP70
82	HGIP82
92	HGIP92
104	HGIP104

CONDUIT FITTINGS

• EMT Connector - Zinc Alloy



Size	Code
1/2"	EN11
3/4"	EN12
1"	EN13
1-1/4"	EN14
1-1/2"	EN15
2"	EN16

• EMT Connector - Steel



Size	Code	
	Galvanized	Hop Dip Galvanized
1/2"	MEN11	HMEN11
3/4"	MEN12	HMEN12
1"	MEN13	HMEN13
1-1/4"	MEN14	HMEN14
1-1/2"	MEN15	HMEN15
2"	MEN16	HMEN16

• EMT Connector - Insulated Zinc Alloy



Size	Code
1/2"	IEN11
3/4"	IEN12
1"	IEN13
1-1/4"	IEN14
1-1/2"	IEN15
2"	IEN16

• EMT Connector - Insulated Steel



Size	Code
1/2"	IMEN11
3/4"	IMEN12
1"	IMEN13
1-1/4"	IMEN14
1-1/2"	IMEN15
2"	IMEN16

• Compression EMT Connector - Zinc Alloy



Size	Code
1/2"	RCN11
3/4"	RCN12
1"	RCN13
1-1/4"	RCN14
1-1/2"	RCN15
2"	RCN16

• Compression EMT Connector - Steel



Size	Code
1/2"	MRCN11
3/4"	MRCN12
1"	MRCN13
1-1/4"	MRCN14
1-1/2"	MRCN15
2"	MRCN16

• Compression EMT Connector - Insulated Steel



Size	Code
1/2"	IMRCN11
3/4"	IMRCN12
1"	IMRCN13
1-1/4"	IMRCN14
1-1/2"	IMRCN15
2"	IMRCN16

• Offset EMT Connector - Zinc Alloy



Size	Code
1/2"	OEN11
3/4"	OEN12
1"	OEN13

• IMC - Box Angle Connector - Zinc Alloy



Size	Code
1/2"	PEN21
3/4"	PEN22
1"	PEN23

• EMT - Box Angle Connector - Zinc Alloy



Size	Code
1/2"	PEN11
3/4"	PEN12
1"	PEN13

CONDUIT FITTINGS

• EMT - Flexible Connector - Zinc Alloy



Size	Code
1/2"	EFC11
3/4"	EFC12
1"	EFC13
1-1/4"	EFC14
1-1/2"	EFC15
2"	EFC16

• Flexible - Flexible Coupling - Zinc Alloy



Size	Code
1/2"	FFC21
3/4"	FFC22
1"	FFC23
1-1/4"	FFC24
1-1/2"	FFC25
2"	FFC26

• IMC - Flexible Connector - Zinc Alloy



Size	Code
1/2"	EFC21
3/4"	EFC22
1"	EFC23
1-1/4"	EFC24
1-1/2"	EFC25
2"	EFC26
2-1/2"	EFC27
3"	EFC28
4"	EFC30

• EMT - Flexible Connector - Zinc Alloy



Size	Code
1/2"	EFN11
3/4"	EFN12
1"	EFN13

• Flexible - Box Angle Connector - Zinc Alloy



Size	Code
1/2"	FAC11
3/4"	FAC12
1"	FAC13

• Box - Flexible Connector - Zinc Alloy



Size	Code
3/8"	RFN20
1/2"	RFN21
3/4"	RFN22
1"	RFN23
1-1/4"	RFN24
1-1/2"	RFN25
2"	RFN26
2-1/2"	RFN27
3"	RFN28
4"	RFN30

• Box - Flexible Connector - Insulated Zinc Alloy



Size	Code
3/8"	IRFN20
1/2"	IRFN21
3/4"	IRFN22
1"	IRFN23
1-1/4"	IRFN24
1-1/2"	IRFN25
2"	IRFN26
2-1/2"	IRFN27
3"	IRFN28
4"	IRFN29

• JIS E - Box Connector - Steel



Size (mm)	Code
19	EEN19
25	EEN25
31	EEN31
39	EEN39
51	EEN51
63	EEN63
75	EEN75

• JIS E - Flexible Connector - Zinc Alloy



Size (mm)	Code
19	EEFC19
25	EEFC25
31	EEFC31
39	EEFC39
51	EEFC51
63	EEFC63
75	EEFC75

CONDUIT FITTINGS

JIS C- Flexible Connector- Zinc Alloy



Size (mm)	Code
19	CEFC19
25	CEFC25
31	CEFC31
39	CEFC39
51	CEFC51
63	CEFC63
75	CEFC75

JIS G- Flexible Connector- Zinc Alloy



Size (mm)	Code
16	GEFC16
22	GEFC22
28	GEFC28
36	GEFC36
42	GEFC42
54	GEFC54
70	GEFC70
82	GEFC82
92	GEFC92
104	GEFC104

90° Flexible Connector - Zinc Alloy



Size	Code
3/8"	RFNQ20
1/2"	RFNQ21
3/4"	RFNQ22
1"	RFNQ23
1-1/4"	RFNQ24
1-1/2"	RFNQ25
2"	RFNQ26
2-1/2"	RFNQ27
3"	RFNQ28
4"	RFNQ30

45° Flexible Connector - Zinc Alloy



Size	Code
3/8"	RFNA20
1/2"	RFNA21
3/4"	RFNA22
1"	RFNA23
1-1/4"	RFNA24
1-1/2"	RFNA25
2"	RFNA26
2-1/2"	RFNA27
3"	RFNA28
4"	RFNA30

90° Flexible Connector - Insulated Zinc Alloy



Size	Code
3/8"	IRFNQ20
1/2"	IRFNQ21
3/4"	IRFNQ22
1"	IRFNQ23
1-1/4"	IRFNQ24
1-1/2"	IRFNQ25
2"	IRFNQ26
2-1/2"	IRFNQ27
3"	IRFNQ28
4"	IRFNQ30

Flexible - Box Connector - Zinc Alloy



Size	Code
3/8"	FN00
1/2"	FN01
3/4"	FN02
1"	FN03
1-1/4"	FN04
1-1/2"	FN05
2"	FN06
2-1/2"	FN07
3"	FN08
4"	FN10

Box - Cable Combination Connector - Zinc Alloy



Size	Code
1/2"	CBP21
3/4"	CBP22
1"	CBP23

EMT - Cable Combination Connector - Zinc Alloy



Size	Code
1/2"	CEP11
3/4"	CEP12

Metal Ferule - Steel



Size	Code
3/8"	FBH10
1/2"	FBH11
3/4"	FBH12
1"	FBH13
1-1/4"	FBH14
1-1/2"	FBH15
2"	FBH16
2-1/2"	FBH17
3"	FBH18
4"	FBH20

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam

Tel: (84.28) 6256 2125 / Fax: (84.28) 6256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

• EMT Bushing- PVC



Size	Code
1/2"	BHP11
3/4"	BHP12
1"	BHP13
1-1/4"	BHP14
1-1/2"	BHP15
2"	BHP16

• IMC End Plug - PVC



BHE



ABHP

Size	Code	
1/2"	BHE21	ABHP21
3/4"	BHE22	ABHP22
1"	BHE23	ABHP23
1-1/4"	BHE24	ABHP24
1-1/2"	BHE25	ABHP25
2"	BHE26	ABHP26
2-1/2"	BHE27	ABHP27
3"	BHE28	ABHP28
4"	BHE30	ABHP30

• IMC Bushing - PVC



Size	Code
1/2"	BHP21
3/4"	BHP22
1"	BHP23
1-1/4"	BHP24
1-1/2"	BHP25
2"	BHP26
2-1/2"	BHP27
3"	BHP28
4"	BHP30

• IMC Bushing - Zinc Alloy



Size	Code
1/2"	BH21
3/4"	BH22
1"	BH23
1-1/4"	BH24
1-1/2"	BH25
2"	BH26
2-1/2"	BH27
3"	BH28
4"	BH30

• IMC Bushing - Hot dip Galvanized



Size	Code
1/2"	HBH21
3/4"	HBH22
1"	HBH23
1-1/4"	HBH24
1-1/2"	HBH25
2"	HBH26
2-1/2"	HBH27
3"	HBH28
4"	HBH30

• IMC Bushing - Insulated Zinc Alloy



Size	Code
1/2"	IBH21
3/4"	IBH22
1"	IBH23
1-1/4"	IBH24
1-1/2"	IBH25
2"	IBH26
2-1/2"	IBH27
3"	IBH28
4"	IBH30

• IMC Bushing - Insulated Hot dip Galvanized



Size	Code
1/2"	HBHP21
3/4"	HBHP22
1"	HBHP23
1-1/4"	HBHP24
1-1/2"	HBHP25
2"	HBHP26
2-1/2"	HBHP27
3"	HBHP28
4"	HBHP30

• BS Bushing- Steel



Size	Code
BS31	
3/4"	SBH12
1"	SBH13
1-1/4"	SBH14
1-1/2"	SBH15
2"	SBH16
BS4568	
20 (mm)	SBH20
25 (mm)	SBH25
32 (mm)	SBH32
40 (mm)	SBH40
50 (mm)	SBH50

CONDUIT FITTINGS

JIC C Bushing



Size (mm)	Code	
	Galvanized	Hot dip galvanized
19	CBH19	HCBH19
25	CBH25	HCBH25
31	CBH31	HCBH31
39	CBH39	HCBH39
51	CBH51	HCBH51
63	CBH63	HCBH63
75	CBH75	HCBH75

JIC G Bushing



Size (mm)	Code	
	Galvanized	Hot dip galvanized
16	GBH16	HGBH16
22	GBH22	HGBH22
28	GBH28	HGBH28
36	GBH36	HGBH36
42	GBH42	HGBH42
54	GBH54	HGBH54
70	GBH70	HGBH70
82	GBH82	HGBH82
92	GBH92	HGBH92
104	GBH104	HGBH104

Grounding Bushing- Insulated Steel



Size	Code
1/2"	IGBH21
3/4"	IGBH22
1"	IGBH23
1-1/4"	IGBH24
1-1/2"	IGBH25
2"	IGBH26
2-1/2"	IGBH27
3"	IGBH28
4"	IGBH30

Grounding Bushing - Insulated Hot dip Galvanized



Size	Code
1/2"	HIGBH21
3/4"	HIGBH22
1"	HIGBH23
1-1/4"	HIGBH24
1-1/2"	HIGBH25
2"	HIGBH26
2-1/2"	HIGBH27
3"	HIGBH28
4"	HIGBH30

IMC/ RSC Locknut



Size	Code
	Zinc Alloy
1/2"	LN21
3/4"	LN22
1"	LN23
1-1/4"	LN24
1-1/2"	LN25
2"	LN26
2-1/2"	LN27
3"	LN28
3-1/2"	LN29
4"	LN30

IMC/ RSC Locknut



Size (mm)	Code	
	Mild Steel	Hot dip galvanized
1/2"	MLN21	HLN21
3/4"	MLN22	HLN22
1"	MLN23	HLN23
1-1/4"	MLN24	HLN24
1-1/2"	MLN25	HLN25
2"	MLN26	HLN26
2-1/2"	MLN27	HLN27
3"	MLN28	HLN28
3-1/2"	MLN29	HLN29
4"	MLN30	HLN30

JIS C Locknut



Size (mm)	Code	
	Steel	Hot dip galvanized
19	JCLN19	HJCLN19
25	JCLN25	HJCLN25
31	JCLN31	HJCLN31
39	JCLN39	HJCLN39
51	JCLN51	HJCLN51
63	JCLN63	HJCLN63
75	JCLN75	HJCLN75

JIS G Locknut



Size (mm)	Code	
	Steel	Hot dip galvanized
16	JGLN16	HJGLN16
22	JGLN22	HJGLN22
28	JGLN28	HJGLN28
36	JGLN36	HJGLN36
42	JGLN42	HJGLN42
54	JGLN54	HJGLN54
70	JGLN70	HJGLN70
82	JGLN82	HJGLN82
92	JGLN92	HJGLN92
104	JGLN104	HJGLN104

CONDUIT FITTINGS

IMC/ RSC Grounding Locknut - Galvanized



Size	Code
1/2"	GLN21
3/4"	GLN22
1"	GLN23
1-1/4"	GLN24
1-1/2"	GLN25
2"	GLN26
2-1/2"	GLN27
3"	GLN28
3-1/2"	GLN29
4"	GLN30

BS Locknut - Steel



Size	Code	
	Galvanized	Hot Dip Galvanized
BS31		
3/4"	SLN12	HSLN12
1"	SLN13	HSLN13
1-1/4"	SLN14	HSLN14
1-1/2"	SLN15	HSLN15
2"	SLN16	HSLN16
BS4568		
20 (mm)	SLN20	HSLN20
25 (mm)	SLN25	HSLN25
32 (mm)	SLN32	HSLN32
40 (mm)	SLN40	HSLN40
50 (mm)	SLN50	HSLN50

IMC/ RSC Chase Nipple - Zinc Alloy



Size	Code
1/2"	HN21
3/4"	HN22
1"	HN23
1-1/4"	HN24
1-1/2"	HN25
2"	HN26
2-1/2"	HN27
3"	HN28
3-1/2"	HN29
4"	HN30

IMC/ RSC Chase Nipple - Brass



Size	Code
1/2"	BHN21
3/4"	BHN22
1"	BHN23
1-1/4"	BHN24
1-1/2"	BHN25
2"	BHN26
2-1/2"	BHN27
3"	BHN28
3-1/2"	BHN29
4"	BHN30

BS31 Chase Nipple - Brass



Size	Code
3/4"	SHN12
1"	SHN13
1-1/4"	SHN14
1-1/2"	SHN15
2"	SHN16

BS4568 Chase Nipple - Brass



Size	Code
20mm	SHN20
25mm	SHN25
32mm	SHN32
40mm	SHN40
50mm	SHN50

CONDUIT FITTINGS

● IMC/ RSC Watertight Hub - Zinc Alloy



Size	Code
1/2"	HC21
3/4"	HC22
1"	HC23
1-1/4"	HC24
1-1/2"	HC25
2"	HC26
2-1/2"	HC27
3"	HC28
4"	HC30

● IMC/ RSC Watertight Hub - Hot dip Galvanized



Size	Code
1/2"	HHC21
3/4"	HHC22
1"	HHC23
1-1/4"	HHC24
1-1/2"	HHC25
2"	HHC26
2-1/2"	HHC27
3"	HHC28
4"	HHC30

● IMC Short Nipple - Steel



Size	Code
1/2"	NPA21
3/4"	NPA22
1"	NPA23
1-1/4"	NPA24
1-1/2"	NPA25
2"	NPA26
2-1/2"	NPA27
3"	NPA28
4"	NPA30

● IMC Long Nipple - Steel



Size	Code
1/2"	NPB21
3/4"	NPB22
1"	NPB23
1-1/4"	NPB24
1-1/2"	NPB25
2"	NPB26
2-1/2"	NPB27
3"	NPB28
4"	NPB30

● IMC Nipple - Brass



Size	Code
1/2"	BNPB21
3/4"	BNPB22
1"	BNPB23
1-1/4"	BNPB24
1-1/2"	BNPB25
2"	BNPB26
2-1/2"	BNPB27
3"	BNPB28
4"	BNPB30

● BS Nipple - Brass



Size	Code
BS31	
3/4"	SNP12
1"	SNP13
1-1/4"	SNP14
1-1/2"	SNP15
2"	SNP16
BS4568	
20 (mm)	SNP20
25 (mm)	SNP25
32 (mm)	SNP32
40 (mm)	SNP40
50 (mm)	SNP50

CONDUIT FITTINGS

• PVC Close - Up Plug



Size	Code
1/2"	CUP21
3/4"	CUP22
1"	CUP23
1-1/4"	CUP24
1-1/2"	CUP25
2"	CUP26

• Snap - In Knockout - Galvanized



Size	Code
1/2"	SKS21
3/4"	SKS22
1"	SKS23
1-1/4"	SKS24
1-1/2"	SKS25
2"	SKS26

• Nail strap - Steel



Size	Code
1/2"	NS1
3/4"	NS2
1"	NS3

• Aluminium Close - Up Plug



Size	Code
1/2"	CU21
3/4"	CU22
1"	CU23
1-1/4"	CU24
1-1/2"	CU25
2"	CU26
2-1/2"	CU27
3"	CU28
4"	CU30

• Reducing Washer - Galvanized



Size	Code
3/4"x1/2"	RW21
1"x1/2"	RW31
1"x3/4"	RW32
1-1/4"x1/2"	RW41
1-1/4"x3/4"	RW42
1-1/4"x1"	RW43
1-1/2"x1/2"	RW51
1-1/2"x3/4"	RW52
1-1/2"x1"	RW53
1-1/2"x1-1/4"	RW54

• Reducing Washer - Galvanized



Size	Code
2"x1/2"	RW61
2"x3/4"	RW62
2"x1"	RW63
2"x1-1/4"	RW64
2"x1-1/2"	RW65
2-1/2"x1"	RW71
2-1/2"x2"	RW72
3"x2-1/2"	RW73
4"x2-1/2"	RW74

CONDUIT FITTINGS

- IMC/RSC Reducers**
Zinc - Aluminium Alloy/ Brass



Size	Code
3/4"x1/2"	RN21
1"x1/2"	RN31
1"x3/4"	RN32
1-1/4"x1/2"	RN41
1-1/4"x3/4"	RN42
1-1/4"x1"	RN43
1-1/2"x1/2"	RN51
1-1/2"x3/4"	RN52
1-1/2"x1"	RN53
1-1/2"x1-1/4"	RN54
2"x1/2"	RN61
2"x3/4"	RN62
2"x1"	RN63
2"x1-1/4"	RN64
2"x1-1/2"	RN65
2-1/2"x1"	RN73
2-1/2"x1-1/4"	RN74
2-1/2"x1-1/2"	RN75
2-1/2"x2"	RN76
3"x2"	RN86
3"x2-1/2"	RN87
3-1/2"x3"	RN98
4"x3"	RN8A
4"x3-1/2"	RN9A

- IMC/RSC Enlargers**
Zinc - Aluminium Alloy/ Brass



Size	Code
1/2"x3/4"	CE12
1/2"x1"	CE13
1/2"x1-1/4"	CE14
1/2"x1-1/2"	CE15
1/2"x2"	CE16
3/4"x1"	CE23
3/4"x1-1/4"	CE24
3/4"x1-1/2"	CE25
3/4"x2"	CE26
1"x1-1/4"	CE34
1"x1-1/2"	CE35
1"x2"	CE36
1"x2-1/2"	CE37
1-1/4"x1-1/2"	CE45
1-1/4"x2"	CE46
1-1/4"x2-1/2"	CE47
1-1/2"x2"	CE56
1-1/2"x2-1/2"	CE57
2"x2-1/2"	CE67
2"x3"	CE68
2-1/2"x3"	CE78
3"x3-1/2"	CE89
3"x4"	CE8A
3-1/2"x4"	CE9A

- BS Reducing**
Zinc - Aluminium Alloy/ Brass



Size	Code
BS31	
1"x3/4"	SRN32
1-1/4"x3/4"	SRN42
1-1/4"x1"	SRN43
1-1/2"x3/4"	SRN52
1-1/2"x1"	SRN53
1-1/2"x1-1/4"	SRN54
2"x3/4"	SRN62
2"x1"	SRN63
2"x1-1/4"	SRN64
2"x1-1/2"	SRN65
BS4568	
25x20	SRN2520
32x20	SRN3220
32x25	SRN3225

- BS Enlargers**
Zinc - Aluminium Alloy/ Brass



Size	Code
BS31	
3/4"x1"	SCE23
3/4"x1-1/4"	SCE24
3/4"x1-1/2"	SCE25
3/4"x2"	SCE26
1"x1-1/4"	SCE34
1"x1-1/2"	SCE35
1"x2"	SCE36
1-1/4"x1-1/2"	SCE45
1-1/4"x2"	SCE46
1-1/2"x2"	SCE56
BS4568	
20X25	SCE2025
20X32	SCE2032
25X32	SCE2532

CONDUIT FITTINGS

• EMT Two Hole Strap



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	CL11	HCL11
3/4"	CL12	HCL12
1"	CL13	HCL13
1-1/4"	CL14	HCL14
1-1/2"	CL15	HCL15
2"	CL16	HCL16

• EMT One Hole Strap



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	OCL11	HOCL11
3/4"	OCL12	HOCL12
1"	OCL13	HOCL13
1-1/4"	OCL14	HOCL14
1-1/2"	OCL15	HOCL15
2"	OCL16	HOCL16

• EMT Two Hole Strap - Stainless Steel (SS304)



Size	Code
1/2"	S4CL11
3/4"	S4CL12
1"	S4CL13
1-1/4"	S4CL14
1-1/2"	S4CL15
2"	S4CL16

• IMC/RSC Two Hole Strap - Stainless Steel (SS304)



Size	Code
1/2"	S4CL21
3/4"	S4CL22
1"	S4CL23
1-1/4"	S4CL24
1-1/2"	S4CL25
2"	S4CL26
2-1/2"	S4CL27
3"	S4CL28
4"	S4CL30

• IMC/ RSC Two Hole Strap



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	CL21	HCL21
3/4"	CL22	HCL22
1"	CL23	HCL23
1-1/4"	CL24	HCL24
1-1/2"	CL25	HCL25
2"	CL26	HCL26
2-1/2"	CL27	HCL27
3"	CL28	HCL28
4"	CL30	HCL30

• IMC/ RSC One Hole Strap



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	OCL21	HOCL21
3/4"	OCL22	HOCL22
1"	OCL23	HOCL23
1-1/4"	OCL24	HOCL24
1-1/2"	OCL25	HOCL25
2"	OCL26	HOCL26
2-1/2"	OCL27	HOCL27
3"	OCL28	HOCL28
4"	OCL30	HOCL30

• BS31/ BS4568 Two Hole Strap



Size	Code	
	Galvanized	Hot dip galvanized
BS31		
1/2"	SCL12	HSCL12
3/4"	SCL13	HSCL13
1"	SCL14	HSCL14
1-1/4"	SCL15	HSCL15
1-1/2"	SCL16	HSCL16
BS4568		
20 (mm)	SCL20	HSCL20
25 (mm)	SCL25	HSCL25
32 (mm)	SCL32	HSCL32
40 (mm)	SCL40	HSCL40
50 (mm)	SCL50	HSCL50

• BS31/ BS4568 Strap With base



Size	Code	
	Galvanized	Hot dip galvanized
BS31		
3/4"	SBCL12	HSBCL12
1"	SBCL13	HSBCL13
1-1/4"	SBCL14	HSBCL14
BS4568		
20 (mm)	SBCL20	HSBCL20
25 (mm)	SBCL25	HSBCL25
32 (mm)	SBCL32	HSBCL32

• EMT Strap With base



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	BCL11	HBCL11
3/4"	BCL12	HBCL12
1"	BCL13	HBCL13

• IMC/ RSC Strap With base



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	BCL21	HBCL21
3/4"	BCL22	HBCL22
1"	BCL23	HBCL23

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

- Handy Box 50 x 100 x 1.0mm
- Galvanized**

Code	Knockout	High
BX2400	No punch	40.1
BX2410	1/2" x 1/2" x 1/2"	40.1
BX2420	1/2" x 3/4" x 1/2"	40.1
BX2420C	1/2" x 3/4" x 1/2" Extension	40.1
BX2530	3/4" x 3/4"	54
BX2500	No punch	54
BX2520	1/2" x 3/4" x 1/2"	54
BX2520C	1/2" x 3/4" x 1/2" Extension	54



No Punch



Punched



Extension

- Handy Box 50 x 100 x 1.2mm
- Galvanized**

Code	Knockout	High
BX2402	No punch	40.1
BX2412	1/2" x 1/2" x 1/2"	40.1
BX2422	1/2" x 3/4" x 1/2"	40.1
BX2422C	1/2" x 3/4" x 1/2" Extension	40.1
BX2532	3/4" x 3/4"	54
BX2502	No punch	54
BX2522	1/2" x 3/4" x 1/2"	54
BX2522C	1/2" x 3/4" x 1/2" Extension	54

- Handy Box 50 x 100 x 1.6mm
- Galvanized**

Code	Knockout	High
BX2406	No punch	40.1
BX2416	1/2" x 1/2" x 1/2"	40.1
BX2426	1/2" x 3/4" x 1/2"	40.1
BX2426C	1/2" x 3/4" x 1/2" Extension	40.1
BX2536	3/4" x 3/4"	54
BX2506	No punch	54
BX2526	1/2" x 3/4" x 1/2"	54
BX2526C	1/2" x 3/4" x 1/2" Extension	54

- Handy Box 50 x 100 x 1.2mm
- Hot dip Galvanized**

Code	Knockout	High
HBX2402	No punch	40.1
HBX2412	1/2" x 1/2" x 1/2"	40.1
HBX2422	1/2" x 3/4" x 1/2"	40.1
HBX2422C	1/2" x 3/4" x 1/2" Extension	40.1
HBX2532	3/4" x 3/4"	54
HBX2502	No punch	54
HBX2522	1/2" x 3/4" x 1/2"	54
HBX2522C	1/2" x 3/4" x 1/2" Extension	54



BY21



BY22



BY23



BY24



BY25



BY26

Ho Chi Minh

CONDUIT FITTINGS

- Square Box 100 x 100 x 1.0mm - Galvanized**

Code	Knockout	High
BX4400	No punch	40.1
BX4410	1/2" x 1/2" x 1/2"	40.1
BX4420	1/2" x 3/4" x 1/2"	40.1
BX4420C	1/2" x 3/4" x 1/2" Extension	40.1
BX4500	No punch	54
BX4520	1/2" x 3/4" x 1/2"	54
BX4530	3/4" x 3/4"	54
BX4550	3/4" x 1"	54
BX4560	1"	54
BX4520C	1/2" x 3/4" x 1/2" Extension	54



No Punch



Punched



Extension

- Square Box 100 x 100 x 1.2mm - Galvanized**

Code	Knockout	High
BX4402	No punch	40.1
BX4412	1/2" x 1/2" x 1/2"	40.1
BX4422	1/2" x 3/4" x 1/2"	40.1
BX4422C	1/2" x 3/4" x 1/2" Extension	40.1
BX4502	No punch	54
BX4522	1/2" x 3/4" x 1/2"	54
BX4532	3/4" x 3/4"	54
BX4552	3/4" x 1"	54
BX4562	1"	54
BX4522C	1/2" x 3/4" x 1/2" Extension	54

- Square Box 100 x 100 x 1.6mm - Galvanized**

Code	Knockout	High
BX4406	No punch	40.1
BX4416	1/2" x 1/2" x 1/2"	40.1
BX4426	1/2" x 3/4" x 1/2"	40.1
BX4426C	1/2" x 3/4" x 1/2" Extension	40.1
BX4506	No punch	54
BX4526	1/2" x 3/4" x 1/2"	54
BX4536	3/4" x 3/4"	54
BX4556	3/4" x 1"	54
BX4566	1"	54
BX4526C	1/2" x 3/4" x 1/2" Extension	54

- Square Box 100 x 100 x 1.2mm - Hot dip Galvanized**

Code	Knockout	High
HBX4402	No punch	40.1
HBX4412	1/2" x 1/2" x 1/2"	40.1
HBX4422	1/2" x 3/4" x 1/2"	40.1
HBX4422C	1/2" x 3/4" x 1/2" Extension	40.1
HBX4502	No punch	54
HBX4522	1/2" x 3/4" x 1/2"	54
HBX4532	3/4" x 3/4"	54
HBX4552	3/4" x 1"	54
HBX4562	1"	54
HBX4522C	1/2" x 3/4" x 1/2" Extension	54



BY41



BY42



BY43



BY44



BY45



BY46



BY47



BY48



BY51



BY52



BY53



BY54



BY55



BY56



BY57



BY58

CONDUIT FITTINGS

● Octagon Box 90 x 90 x 1.0mm - Galvanized

Code	Knockout	High
BX6400	No punch	40.1
BX6410	1/2" x 1/2" x 1/2"	40.1
BX6420	1/2" x 3/4" x 1/2"	40.1
BX6420C	1/2" x 3/4" x 1/2" Extension	40.1
BX6500	No punch	54
BX6520	1/2" x 3/4" x 1/2"	54
BX6550	3/4" x 1"	54
BX6520C	1/2" x 3/4" x 1/2" Extension	54
BX6710	1/2" x 1/2" x 1/2"	75.0



No Punch



Punched



Extension

● Octagon Box 90 x 90 x 1.2mm - Galvanized

Code	Knockout	High
BX6402	No punch	40.1
BX6412	1/2" x 1/2" x 1/2"	40.1
BX6422	1/2" x 3/4" x 1/2"	40.1
BX6422C	1/2" x 3/4" x 1/2" Extension	40.1
BX6502	No punch	54
BX6522	1/2" x 3/4" x 1/2"	54
BX6552	3/4" x 1"	54
BX6522C	1/2" x 3/4" x 1/2" Extension	54
BX6712	1/2" x 1/2" x 1/2"	75.0

● Octagon Box 90 x 90 x 1.6mm - Galvanized

Code	Knockout	High
BX6406	No punch	40.1
BX6416	1/2" x 1/2" x 1/2"	40.1
BX6426	1/2" x 3/4" x 1/2"	40.1
BX6426C	1/2" x 3/4" x 1/2" Extension	40.1
BX6506	No punch	54
BX6526	1/2" x 3/4" x 1/2"	54
BX6556	3/4" x 1"	54
BX6526C	1/2" x 3/4" x 1/2" Extension	54
BX6716	1/2" x 1/2" x 1/2"	75.0

● Octagon Box 90 x 90 x 1.2mm - Hot dip Galvanized

Code	Knockout	High
HBX6402	No punch	40.1
HBX6412	1/2" x 1/2" x 1/2"	40.1
HBX6422	1/2" x 3/4" x 1/2"	40.1
HBX6422C	1/2" x 3/4" x 1/2" Extension	40.1
HBX6502	No punch	54
HBX6522	1/2" x 3/4" x 1/2"	54
HBX6552	3/4" x 1"	54
HBX6522C	1/2" x 3/4" x 1/2" Extension	54
HBX6712	1/2" x 1/2" x 1/2"	75.0



BX33



BX35



BY61



BY62



BY63



BX35W



BX35WS

● Box Switch

Code		Knockout	Size
Press	Weld		
BX33	BX33W	1/2" x 1/2" x 1/2"	70 x 70 x 40
BX35	BX35W	1/2" x 1/2" x 1/2"	132 x 72 x 54
	BX35WS (Surface Mounting Box)	1/2" x 1/2"	146 x 86 x 54

CONDUIT FITTINGS

• EMT Outlet Boxes



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOL11	HAOL11
3/4"	AOL12	HAOL12
1"	AOL13	HAOL13
1 - 1/4"	AOL14	HAOL14
1 - 1/2"	AOL15	HAOL15
2"	AOL16	HAOL16

• EMT Outlet Boxes



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOR11	HAOR11
3/4"	AOR12	HAOR12
1"	AOR13	HAOR13
1 - 1/4"	AOR14	HAOR14
1 - 1/2"	AOR15	HAOR15
2"	AOR16	HAOR16



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOC11	HAOC11
3/4"	AOC12	HAOC12
1"	AOC13	HAOC13
1 - 1/4"	AOC14	HAOC14
1 - 1/2"	AOC15	HAOC15
2"	AOC16	HAOC16



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOB11	HAOB11
3/4"	AOB12	HAOB12
1"	AOB13	HAOB13
1 - 1/4"	AOB14	HAOB14
1 - 1/2"	AOB15	HAOB15
2"	AOB16	HAOB16



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOT11	HAOT11
3/4"	AOT12	HAOT12
1"	AOT13	HAOT13
1 - 1/4"	AOT14	HAOT14
1 - 1/2"	AOT15	HAOT15
2"	AOT16	HAOT16



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOTB11	HAOTB11
3/4"	AOTB12	HAOTB12
1"	AOTB13	HAOTB13
1 - 1/4"	AOTB14	HAOTB14
1 - 1/2"	AOTB15	HAOTB15
2"	AOTB16	HAOTB16

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

• IMC/RSC Outlet Boxes



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOL21	HAOL21
3/4"	AOL22	HAOL22
1"	AOL23	HAOL23
1 - 1/4"	AOL24	HAOL24
1 - 1/2"	AOL25	HAOL25
2"	AOL26	HAOL26
2 - 1/2"	AOL27	HAOL27
3"	AOL28	HAOL28
3 - 1/2"	AOL29	HAOL29
4"	AOL30	HAOL30

• IMC/RSC Outlet Boxes



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOR21	HAOR21
3/4"	AOR22	HAOR22
1"	AOR23	HAOR23
1 - 1/4"	AOR24	HAOR24
1 - 1/2"	AOR25	HAOR25
2"	AOR26	HAOR26
2 - 1/2"	AOR27	HAOR27
3"	AOR28	HAOR28
3 - 1/2"	AOR29	HAOR29
4"	AOR30	HAOR30



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOC21	HAOC21
3/4"	AOC22	HAOC22
1"	AOC23	HAOC23
1 - 1/4"	AOC24	HAOC24
1 - 1/2"	AOC25	HAOC25
2"	AOC26	HAOC26
2 - 1/2"	AOC27	HAOC27
3"	AOC28	HAOC28
3 - 1/2"	AOC29	HAOC29
4"	AOC30	HAOC30



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOB21	HAOB21
3/4"	AOB22	HAOB22
1"	AOB23	HAOB23
1 - 1/4"	AOB24	HAOB24
1 - 1/2"	AOB25	HAOB25
2"	AOB26	HAOB26
2 - 1/2"	AOB27	HAOB27
3"	AOB28	HAOB28
3 - 1/2"	AOB29	HAOB29
4"	AOB30	HAOB30



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOT21	HAOT21
3/4"	AOT22	HAOT22
1"	AOT23	HAOT23
1 - 1/4"	AOT24	HAOT24
1 - 1/2"	AOT25	HAOT25
2"	AOT26	HAOT26
2 - 1/2"	AOT27	HAOT27
3"	AOT28	HAOT28
3 - 1/2"	AOT29	HAOT29
4"	AOT30	HAOT30



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	AOTB21	HAOTB21
3/4"	AOTB22	HAOTB22
1"	AOTB23	HAOTB23
1 - 1/4"	AOTB24	HAOTB24
1 - 1/2"	AOTB25	HAOTB25
2"	AOTB26	HAOTB26
2 - 1/2"	AOTB27	HAOTB27
3"	AOTB28	HAOTB28
3 - 1/2"	AOTB29	HAOTB29
4"	AOTB30	HAOTB30

CONDUIT FITTINGS

• BS31 Outlet Boxes - Aluminium Alloy

Size	Code
3/4"	SOL12
1"	SOL13
1 - 1/4"	SOL14



Size	Code
3/4"	SOR12
1"	SOR13
1 - 1/4"	SOR14



Size	Code
3/4"	SOC12
1"	SOC13
1 - 1/4"	SOC14



Size	Code
3/4"	SOB12
1"	SOB13
1 - 1/4"	SOB14



Size	Code
3/4"	SOT12
1"	SOT13
1 - 1/4"	SOT14



Size	Code
3/4"	SOTB12
1"	SOTB13
1 - 1/4"	SOTB14



• BS4568 Outlet Boxes - Aluminium Alloy

Size	Code
20 (mm)	SOL20
25 (mm)	SOL25
32 (mm)	SOL32

Size	Code
20 (mm)	SOR20
25 (mm)	SOR25
32 (mm)	SOR32

Size	Code
20 (mm)	SOC20
25 (mm)	SOC25
32 (mm)	SOC32

Size	Code
20 (mm)	SOB20
25 (mm)	SOB25
32 (mm)	SOB32

Size	Code
20 (mm)	SOT20
25 (mm)	SOT25
32 (mm)	SOT32

Size	Code
20 (mm)	SOTB20
25 (mm)	SOTB25
32 (mm)	SOTB32

CONDUIT FITTINGS


• JIS E Outlet Box- Aluminium Alloy

Trade Size (mm)	Code					
	LL	LR	OC	LB	OT	TB
19	EAOL19	EAOR19	EAOC19	EAOB19	EAOT19	EAOTB19
25	EAOL25	EAOR25	EAOC25	EAOB25	EAOT25	EAOTB25
31	EAOL31	EAOR31	EAOC31	EAOB31	EAOT31	EAOTB31
39	EAOL39	EAOR39	EAOC39	EAOB39	EAOT39	EAOTB39
51	EAOL51	EAOR51	EAOC51	EAOB51	EAOT51	EAOTB51
63	EAOL63	EAOR63	EAOC63	EAOB63	EAOT63	EAOTB63
75	EAOL75	EAOR75	EAOC75	EAOB75	EAOT75	EAOTB75




• JIS C Outlet Box- Aluminium Alloy

Trade Size (mm)	Code					
	LL	LR	OC	LB	OT	TB
19	CAOL19	CAOR19	CAOC19	CAOB19	CAOT19	CAOTB19
25	CAOL25	CAOR25	CAOC25	CAOB25	CAOT25	CAOTB25
31	CAOL31	CAOR31	CAOC31	CAOB31	CAOT31	CAOTB31
39	CAOL39	CAOR39	CAOC39	CAOB39	CAOT39	CAOTB39
51	CAOL51	CAOR51	CAOC51	CAOB51	CAOT51	CAOTB51
63	CAOL63	CAOR63	CAOC63	CAOB63	CAOT63	CAOTB63
75	CAOL75	CAOR75	CAOC75	CAOB75	CAOT75	CAOTB75



• JIS G Outlet Box- Aluminium Alloy

Trade Size (mm)	Code					
	LL	LR	OC	LB	OT	TB
16	GAOL16	GAOR16	GAOC16	GAOB16	GAOT16	GAOTB16
22	GAOL22	GAOR22	GAOC22	GAOB22	GAOT22	GAOTB22
28	GAOL28	GAOR28	GAOC28	GAOB28	GAOT28	GAOTB28
36	GAOL36	GAOR36	GAOC36	GAOB36	GAOT36	GAOTB36
42	GAOL42	GAOR42	GAOC42	GAOB42	GAOT42	GAOTB42
54	GAOL54	GAOR54	GAOC54	GAOB54	GAOT54	GAOTB54
70	GAOL70	GAOR70	GAOC70	GAOB70	GAOT70	GAOTB70
82	GAOL82	GAOR82	GAOC82	GAOB82	GAOT82	GAOTB82
92	GAOL92	GAOR92	GAOC92	GAOB92	GAOT92	GAOTB92
104	GAOL104	GAOR104	GAOC104	GAOB104	GAOT104	GAOTB104



CONDUIT FITTINGS

• EMT Junction Box - 1 Way



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJE11	HAOJE11	OJE11
3/4"	AOJE12	HAOJE12	OJE12
1"	AOJE13	HAOJE13	OJE13
1 - 1/4"	AOJE14	HAOJE14	OJE14
1 - 1/2"	AOJE15	HAOJE15	OJE15
2"	AOJE16	HAOJE16	OJE16

• EMT Junction Box - 3 Ways



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJE31	HAOJE31	OJE31
3/4"	AOJE32	HAOJE32	OJE32
1"	AOJE33	HAOJE33	OJE33
1 - 1/4"	AOJE34	HAOJE34	OJE34
1 - 1/2"	AOJE35	HAOJE35	OJE35
2"	AOJE36	HAOJE36	OJE36

• EMT Junction Box - 2 Ways Straight



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJE21	HAOJE21	OJE21
3/4"	AOJE22	HAOJE22	OJE22
1"	AOJE23	HAOJE23	OJE23
1 - 1/4"	AOJE24	HAOJE24	OJE24
1 - 1/2"	AOJE25	HAOJE25	OJE25
2"	AOJE26	HAOJE26	OJE26

• EMT Junction Box - 4 Ways



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJE41	HAOJE41	OJE41
3/4"	AOJE42	HAOJE42	OJE42
1"	AOJE43	HAOJE43	OJE43
1 - 1/4"	AOJE44	HAOJE44	OJE44
1 - 1/2"	AOJE45	HAOJE45	OJE45
2"	AOJE46	HAOJE46	OJE46

• EMT Junction Box - 2 Ways Angle



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJE71	HAOJE71	OJE71
3/4"	AOJE72	HAOJE72	OJE72
1"	AOJE73	HAOJE73	OJE73
1 - 1/4"	AOJE74	HAOJE74	OJE74
1 - 1/2"	AOJE75	HAOJE75	OJE75
2"	AOJE76	HAOJE76	OJE76



OJE11



OJE21



OJE71



OJE31



OJE41

Water Proof type - IP55

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

IMC/RSC Junction Box - 1 Way



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJ11	HAOJ11	OJ11
3/4"	AOJ12	HAOJ12	OJ12
1"	AOJ13	HAOJ13	OJ13
1 - 1/4"	AOJ14	HAOJ14	OJ14
1 - 1/2"	AOJ15	HAOJ15	OJ15
2"	AOJ16	HAOJ16	OJ16
2 - 1/2"	AOJ17	HAOJ17	OJ17
3"	AOJ18	HAOJ18	OJ18
3 - 1/2"	AOJ19	HAOJ19	OJ19
4"	AOJ20	HAOJ20	OJ20

IMC/RSC Junction Box - 3 Ways



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJ31	HAOJ31	OJ31
3/4"	AOJ32	HAOJ32	OJ32
1"	AOJ33	HAOJ33	OJ33
1 - 1/4"	AOJ34	HAOJ34	OJ34
1 - 1/2"	AOJ35	HAOJ35	OJ35
2"	AOJ36	HAOJ36	OJ36
2 - 1/2"	AOJ37	HAOJ37	OJ37
3"	AOJ38	HAOJ38	OJ38
3 - 1/2"	AOJ39	HAOJ39	OJ39
4"	AOJ40	HAOJ40	OJ40

IMC/RSC Junction Box - 2 Ways Straight



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJ21	HAOJ21	OJ21
3/4"	AOJ22	HAOJ22	OJ22
1"	AOJ23	HAOJ23	OJ23
1 - 1/4"	AOJ24	HAOJ24	OJ24
1 - 1/2"	AOJ25	HAOJ25	OJ25
2"	AOJ26	HAOJ26	OJ26
2 - 1/2"	AOJ27	HAOJ27	OJ27
3"	AOJ28	HAOJ28	OJ28
3 - 1/2"	AOJ29	HAOJ29	OJ29
4"	AOJ30	HAOJ30	OJ30

IMC/RSC Junction Box - 4 Ways



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJ41	HAOJ41	OJ41
3/4"	AOJ42	HAOJ42	OJ42
1"	AOJ43	HAOJ43	OJ43
1 - 1/4"	AOJ44	HAOJ44	OJ44
1 - 1/2"	AOJ45	HAOJ45	OJ45
2"	AOJ46	HAOJ46	OJ46
2 - 1/2"	AOJ47	HAOJ47	OJ47
3"	AOJ48	HAOJ48	OJ48
3 - 1/2"	AOJ49	HAOJ49	OJ49
4"	AOJ50	HAOJ50	OJ50

IMC/RSC Junction Box - 2 Ways Angle



Size	Code		
	Aluminium Alloy	Hot dip galvanized	Water Proof - Aluminium Alloy
1/2"	AOJ71	HAOJ71	OJ71
3/4"	AOJ72	HAOJ72	OJ72
1"	AOJ73	HAOJ73	OJ73
1 - 1/4"	AOJ74	HAOJ74	OJ74
1 - 1/2"	AOJ75	HAOJ75	OJ75
2"	AOJ76	HAOJ76	OJ76
2 - 1/2"	AOJ77	HAOJ77	OJ77
3"	AOJ78	HAOJ78	OJ78
3 - 1/2"	AOJ79	HAOJ79	OJ79
4"	AOJ80	HAOJ80	OJ80

Dome Cover



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	DC21	HDC21
3/4"	DC22	HDC22



OJ11

OJ21

OJ71

OJ31

OJ41

Water Proof type - IP55
Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam

Tel: (84.28) 6256 2125 / Fax: (84.28) 6256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

● BS31 Junction Boxes - Aluminium Alloy

Size	Code
3/4"	SOJ12
1"	SOJ13
1 - 1/4"	SOJ14
1 - 1/2"	SOJ15
2"	SOJ16



1 Way

● BS4568 Junction Boxes - Aluminium Alloy

Size	Code
20 (mm)	SOJ120
25 (mm)	SOJ125
32 (mm)	SOJ132
40 (mm)	SOJ140
50 (mm)	SOJ150

Size	Code
3/4"	SOJ22
1"	SOJ23
1 - 1/4"	SOJ24
1 - 1/2"	SOJ25
2"	SOJ26



2 Ways Straight

Size	Code
20 (mm)	SOJ220
25 (mm)	SOJ225
32 (mm)	SOJ232
40 (mm)	SOJ240
50 (mm)	SOJ250

Size	Code
3/4"	SOJ72
1"	SOJ73
1 - 1/4"	SOJ74
1 - 1/2"	SOJ75
2"	SOJ76



2 Ways Angle

Size	Code
20 (mm)	SOJ720
25 (mm)	SOJ725
32 (mm)	SOJ732
40 (mm)	SOJ740
50 (mm)	SOJ750

Size	Code
3/4"	SOJ32
1"	SOJ33
1 - 1/4"	SOJ34
1 - 1/2"	SOJ35
2"	SOJ36



3 Ways

Size	Code
20 (mm)	SOJ320
25 (mm)	SOJ325
32 (mm)	SOJ332
40 (mm)	SOJ340
50 (mm)	SOJ350

Size	Code
3/4"	SOJ42
1"	SOJ43
1 - 1/4"	SOJ44
1 - 1/2"	SOJ45
2"	SOJ46



4 Ways

Size	Code
20 (mm)	SOJ420
25 (mm)	SOJ425
32 (mm)	SOJ432
40 (mm)	SOJ440
50 (mm)	SOJ450

CONDUIT FITTINGS

• JIS E Junction Box- Aluminium Alloy

Trade Size (mm)	Code				
	1 Way	2 Way Straight	2 Way Angle	3 Way	4 Way
19	AOJE119	AOJE219	AOJE719	AOJE319	AOJE419
25	AOJE125	AOJE225	AOJE725	AOJE325	AOJE425
31	AOJE131	AOJE231	AOJE731	AOJE331	AOJE431
39	AOJE139	AOJE239	AOJE739	AOJE339	AOJE439
51	AOJE151	AOJE251	AOJE751	AOJE351	AOJE451
63	AOJE163	AOJE263	AOJE763	AOJE363	AOJE463
75	AOJE175	AOJE275	AOJE775	AOJE375	AOJE475



• JIS C Junction Box- Aluminium Alloy

Trade Size (mm)	Code				
	1 Way	2 Way Straight	2 Way Angle	3 Way	4 Way
19	CAOJ119	CAOJ219	CAOJ719	CAOJ319	CAOJ419
25	CAOJ125	CAOJ225	CAOJ725	CAOJ325	CAOJ425
31	CAOJ131	CAOJ231	CAOJ731	CAOJ331	CAOJ431
39	CAOJ139	CAOJ239	CAOJ739	CAOJ339	CAOJ439
51	CAOJ151	CAOJ251	CAOJ751	CAOJ351	CAOJ451
63	CAOJ163	CAOJ263	CAOJ763	CAOJ363	CAOJ463
75	CAOJ175	CAOJ275	CAOJ775	CAOJ375	CAOJ475



• JIS G Junction Box- Aluminium Alloy

Trade Size (mm)	Code				
	1 Way	2 Way Straight	2 Way Angle	3 Way	4 Way
16	GAOJ116	GAOJ216	GAOJ716	GAOJ316	GAOJ416
22	GAOJ122	GAOJ222	GAOJ722	GAOJ322	GAOJ422
28	GAOJ128	GAOJ228	GAOJ728	GAOJ328	GAOJ428
36	GAOJ136	GAOJ236	GAOJ736	GAOJ336	GAOJ436
42	GAOJ142	GAOJ242	GAOJ742	GAOJ342	GAOJ442
54	GAOJ154	GAOJ254	GAOJ754	GAOJ354	GAOJ454
70	GAOJ170	GAOJ270	GAOJ770	GAOJ370	GAOJ470
82	GAOJ182	GAOJ282	GAOJ782	GAOJ382	GAOJ482
92	GAOJ192	GAOJ292	GAOJ792	GAOJ392	GAOJ492
104	GAOJ1104	GAOJ2104	GAOJ7104	GAOJ3104	GAOJ4104



CONDUIT FITTINGS

• Wide Series F.S Box - 70 x 120



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FSW11	HFSW11
3/4"	FSW12	HFSW12

• F.S Box - 75 x 132



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX71	HFX71
3/4"	FX72	HFX72
1"	FX73	HFX73



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FSW24	HFSW24
3/4"	FSW25	HFSW22



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX84	HFX84
3/4"	FX85	HFX85
1"	FX86	HFX86



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FSW31	HFSW31
3/4"	FSW32	HFSW32



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX81	HFX81
3/4"	FX82	HFX82

• Full Color F.S Box - 70 x 120



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FSF11	HFSF11
3/4"	FSF12	HFSF12

• Full Color F.S Box - 70 x 120



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FSF24	HFSF24
3/4"	FSF25	HFSF25

CONDUIT FITTINGS

WeatherProof Single Box - 70 x 114



Size	Code
1/2"	WSB21
3/4"	WSB22
1"	WSB23

WeatherProof Double Box - 114 x 114



Size	Code
1/2"	WDB21
3/4"	WDB22
1"	WDB23

WeatherProof Round Box - 70 x 114



Size	Code
1/2"	WRB21
3/4"	WRB22


SC2

DC2

RC2

F.S Box Single Gang - 67 x 111



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX11	HFX11
3/4"	FX12	HFX12
1"	FX13	HFX13



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX24	HFX24
3/4"	FX25	HFX25
1"	FX26	HFX26



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX21	HFX21
3/4"	FX22	HFX22



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX31	HFX31
3/4"	FX32	HFX32

F.S Box Double Gang - 110 x 110



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX41	HFX41
3/4"	FX42	HFX42
1"	FX43	HFX43



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX54	HFX54
3/4"	FX55	HFX55
1"	FX56	HFX56



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX51	HFX51
3/4"	FX52	HFX52



Size	Code	
	Aluminium Alloy	Hot dip galvanized
1/2"	FX61	HFX61
3/4"	FX62	HFX62


FY11 FY12 FY13 FY14

FY15 FY16 FY17

FY41 FY42

FY43 FY44

CONDUIT FITTINGS

● Pull Box - Galvanized



Size (cm)	Code
10 x 10 x 10	PB101010
15 x 15 x 10	PB151510
15 x 15 x 15	PB151515
20 x 20 x 10	PB202010
20 x 20 x 15	PB202015
20 x 20 x 20	PB202020
25 x 25 x 10	PB252510
25 x 25 x 15	PB252515
25 x 25 x 20	PB252520
30 x 30 x 15	PB303015
30 x 30 x 20	PB303020
30 x 30 x 25	PB303025
30 x 30 x 30	PB303030
40 x 40 x 20	PB404020
40 x 40 x 25	PB404025
40 x 40 x 30	PB404030
40 x 40 x 40	PB404040
50 x 50 x 20	PB505020
50 x 50 x 25	PB505025
50 x 50 x 30	PB505030
50 x 50 x 40	PB505040
60 x 50 x 40	PB605040
60 x 60 x 50	PB606050

● Pull Box - Powder Coated



Size (cm)	Code
10 x 10 x 10	PPB101010
15 x 15 x 10	PPB151510
15 x 15 x 15	PPB151515
20 x 20 x 10	PPB202010
20 x 20 x 15	PPB202015
20 x 20 x 20	PPB202020
25 x 25 x 10	PPB252510
25 x 25 x 15	PPB252515
25 x 25 x 20	PPB252520
30 x 30 x 15	PPB303015
30 x 30 x 20	PPB303020
30 x 30 x 25	PPB303025
30 x 30 x 30	PPB303030
40 x 40 x 20	PPB404020
40 x 40 x 25	PPB404025
40 x 40 x 30	PPB404030
40 x 40 x 40	PPB404040
50 x 50 x 20	PPB505020
50 x 50 x 25	PPB505025
50 x 50 x 30	PPB505030
50 x 50 x 40	PPB505040
60 x 50 x 40	PPB605040
60 x 60 x 50	PPB606050

● Pull Box - Hot Dip Galvanized



Size (cm)	Code
10 x 10 x 10	HPB101010
15 x 15 x 10	HPB151510
15 x 15 x 15	HPB151515
20 x 20 x 10	HPB202010
20 x 20 x 15	HPB202015
20 x 20 x 20	HPB202020
25 x 25 x 10	HPB252510
25 x 25 x 15	HPB252515
25 x 25 x 20	HPB252520
30 x 30 x 15	HPB303015
30 x 30 x 20	HPB303020
30 x 30 x 25	HPB303025

● Pull Box - Hot Dip Galvanized



Size (cm)	Code
30 x 30 x 30	HPB303030
40 x 40 x 20	HPB404020
40 x 40 x 25	HPB404025
40 x 40 x 30	HPB404030
40 x 40 x 40	HPB404040
50 x 50 x 20	HPB505020
50 x 50 x 25	HPB505025
50 x 50 x 30	HPB505030
50 x 50 x 40	HPB505040
60 x 50 x 40	HPB605040
60 x 60 x 50	HPB606050

Special size can be requested


Wall Thickness: 1.0mm, 1.2mm, 1.5mm, 2.0mm, 2.5mm

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn


CONDUIT FITTINGS

• Strut Unslotted - Galvanized




Size	Code
41x21x1.5	DPS2150
41x21x2.0	DPS2200
41x21x2.5	DPS2250
41x41x1.5	DPS4150
41x41x2.0	DPS4200
41x41x2.5	DPS4250
41x41x1.5x2	DPS8150
41x41x2.0x2	DPS8200
41x41x2.5x2	DPS8250

• Strut Unslotted - Powder Coated




Size	Code
41x21x1.5	PDPS2150
41x21x2.0	PDPS2220
41x21x2.5	PDPS2250
41x41x1.5	PDPS4150
41x41x2.0	PDPS4200
41x41x2.5	PDPS4250
41x41x1.5x2	PDPS8150
41x41x2.0x2	PDPS8200
41x41x2.5x2	PDPS8250

• Strut Unslotted - Hot Dip Galvanized



Size	Code
41x21x1.5	HDPS2150
41x21x2.0	HDPS2200
41x21x2.5	HDPS2250
41x41x1.5	HDPS4150
41x41x2.0	HDPS4200
41x41x2.5	HDPS4250
41x41x1.5x2	HDPS8150
41x41x2.0x2	HDPS8200
41x41x2.5x2	HDPS8250

• Strut Unslotted - Stainless steel (S304)



Size	Code
41x21x1.5	S4DPS2150
41x21x2.0	S4DPS2200
41x21x2.5	S4DPS2250
41x41x1.5	S4DPS4150
41x41x2.0	S4DPS4200
41x41x2.5	S4DPS4250
41x41x1.5x2	S4DPS8150
41x41x2.0x2	S4DPS8200
41x41x2.5x2	S4DPS8250

• Strut Slotted - Galvanized



Size	Code
41x21x1.5	DPS2151
41x21x2.0	DPS2201
41x21x2.5	DPS2251
41x41x1.5	DPS4151
41x41x2.0	DPS4201
41x41x2.5	DPS4251
41x41x1.5x2	DPS8151
41x41x2.0x2	DPS8201
41x41x2.5x2	DPS8251

• Strut Slotted - Powder Coated



Size	Code
41x21x1.5	PDPS2151
41x21x2.0	PDPS2201
41x21x2.5	PDPS2251
41x41x1.5	PDPS4151
41x41x2.0	PDPS4201
41x41x2.5	PDPS4251
41x41x1.5x2	PDPS8151
41x41x2.0x2	PDPS8201
41x41x2.5x2	PDPS8251

• Strut Slotted - Hot Dip Galvanized



Size	Code
41x21x1.5	HDPS2151
41x21x2.0	HDPS2201
41x21x2.5	HDPS2251
41x41x1.5	HDPS4151
41x41x2.0	HDPS4201
41x41x2.5	HDPS4251
41x41x1.5x2	HDPS8151
41x41x2.0x2	HDPS8201
41x41x2.5x2	HDPS8251

• Strut Slotted - Stainless steel (S304)



Size	Code
41x21x1.5	S4DPS2151
41x21x2.0	S4DPS2201
41x21x2.5	S4DPS2251
41x41x1.5	S4DPS4151
41x41x2.0	S4DPS4201
41x41x2.5	S4DPS4251
41x41x1.5x2	S4DPS8151
41x41x2.0x2	S4DPS8201
41x41x2.5x2	S4DPS8251

CONDUIT FITTINGS

Thread Rod - Steel



Size	Code		Length (m)
	Galvanized	Hot dip galvanized	
M6	TRM61		1
M6	TRM62		2
M6	TRM63		3
M8	TRM81	HTRM81	1
M8	TRM82	HTRM82	2
M8	TRM83	HTRM83	3
M10	TRM101	HTRM101	1
M10	TRM102	HTRM102	2
M10	TRM103	HTRM103	3
M12	TRM121	HTRM121	1
M12	TRM122	HTRM122	2
M12	TRM123	HTRM123	3

Thread Rod - Stainless Steel



Size	Code			Length (m)
	Inox 201	Inox 304	Inox 316	
M6	S1TRM61	S4TRM61	S6TRM61	1
M8	S1TRM81	S4TRM81	S6TRM81	1
M10	S1TRM101	S4TRM101	S6TRM101	1
M12	S1TRM121	S4TRM121	S6TRM121	1

End close thread rod - PVC



Size	Code
M6	ET6
M8	ET8
M10	ET10
M12	ET12

Thread Rod Coupling



Size	Code			
	Galvanized	Hot dip galvanized	Inox 304	Inox 316
M6	TRC6	HTRC6	S4TRC6	S6TRC6
M8	TRC8	HTRC8	S4TRC8	S6TRC8
M10	TRC10	HTRC10	S4TRC10	S6TRC10
M12	TRC12	HTRC12	S4TRC12	S6TRC12

Hexagon Nut



Size	Code			
	Galvanized	Inox 201	Inox 304	Inox 316
M6	N6	S1N6	S4N6	S6N6
M8	N8	S1N8	S4N8	S6N8
M10	N10	S1N10	S4N10	S6N10
M12	N12	S1N12	S4N12	S6N12

Washer



Size	Code			
	Galvanized	Inox 201	Inox 304	Inox 316
M6	W6	S1W6	S4W6	S6W6
M8	W8	S1W8	S4W8	S6W8
M10	W10	S1W10	S4W10	S6W10
M12	W12	S1W12	S4W12	S6W12

Spring Washer



Size	Code			
	Galvanized	Inox 201	Inox 304	Inox 316
M6	SW6	S1SW6	S4SW6	S6SW6
M8	SW8	S1SW8	S4SW8	S6SW8
M10	SW10	S1SW10	S4SW10	S6SW10
M12	SW12	S1SW12	S4SW12	S6SW12

Bulong - Length 40mm



Size	Code		
	Galvanized	Hot dip galvanized	Inox304
M6	BL640	HBL640	S4BL640
M8	BL840	HBL840	S4BL840
M10	BL1040	HBL1040	S4BL1040
M12	BL1240	HBL1240	S4BL1240

Special size and length can be requested
Inox other: Inox201, Inox316

Anchor - Length 60mm



Size	Code			
	Drop In Anchor		Bolt Anchor	
	Electroplate	Inox 304	Electroplate	Inox 304
M6	TK6	S4TK6	TKN660	S4TKN660
M8	TK8	S4TK8	TKN860	S4TKN860
M10	TK10	S4TK10	TKN1080	S4TKN1080
M12	TK12	S4TK12	TKN12100	S4TKN12100

Material: Electroplate, Stainless Steel
Special size and length can be requested

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

CONDUIT FITTINGS

• Spring Nut - Galvanized

Size	Code
M6	UM006
M8	UM008
M10	UM010
M12	UM012



UM0

• Spring Nut - Hot dip galvanized

Size	Code
M6	HUM006
M8	HUM008
M10	HUM010
M12	HUM012

• Short Spring Nut - Galvanized

Size	Code
M6	UM206
M8	UM208
M10	UM210
M12	UM212



UM2

• Short Spring Nut - Hot dip galvanized

Size	Code
M6	HUM206
M8	HUM208
M10	HUM210
M12	HUM212

• Long Spring Nut - Galvanized

Size	Code
M6	UM406
M8	UM408
M10	UM410
M12	UM412



UM4

• Long Spring Nut - Hot dip galvanized

Size	Code
M6	HUM406
M8	HUM408
M10	HUM410
M12	HUM412

• D Clip - Galvanized

Angle ($^{\circ}$)	Code
0	DC1
15	DC2
345	DC3



• D Clip - Hot dip galvanized

Angle ($^{\circ}$)	Code
0	HDC1
15	HDC2
345	HDC3

CONDUIT FITTINGS

Galvanized

Size	Code
1/2"	CC21
3/4"	CC22
1"	CC23
1-1/4"	CC24
1-1/2"	CC25
2"	CC26
2-1/2"	CC27
3"	CC28
3-1/2"	CC29
4"	CC30



CC

Size	Code
1/2"	CEC21
3/4"	CEC22
1"	CEC23
1-1/4"	CEC24
1-1/2"	CEC25
2"	CEC26
2-1/2"	CEC27
3"	CEC28
3-1/2"	CEC29
4"	CEC30



CEC

Size	Code
1/2"	CEU21
3/4"	CEU22
1"	CEU23
1-1/4"	CEU24
1-1/2"	CEU25
2"	CEU26
2-1/2"	CEU27
3"	CEU28
3-1/2"	CEU29
4"	CEU30



CEU

Hot dip galvanized

Size	Code
1/2"	HCC21
3/4"	HCC22
1"	HCC23
1-1/4"	HCC24
1-1/2"	HCC25
2"	HCC26
2-1/2"	HCC27
3"	HCC28
3-1/2"	HCC29
4"	HCC30

Size	Code
1/2"	HCEC21
3/4"	HCEC22
1"	HCEC23
1-1/4"	HCEC24
1-1/2"	HCEC25
2"	HCEC26
2-1/2"	HCEC27
3"	HCEC28
3-1/2"	HCEC29
4"	HCEC30

Size	Code
1/2"	HCEU21
3/4"	HCEU22
1"	HCEU23
1-1/4"	HCEU24
1-1/2"	HCEU25
2"	HCEU26
2-1/2"	HCEU27
3"	HCEU28
3-1/2"	HCEU29
4"	HCEU30

AN PHUC STRUT FITTINGS

U Bolt



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	U21	HU21
3/4"	U22	HU22
1"	U23	HU23
1-1/4"	U24	HU24
1-1/2"	U25	HU25
2"	U26	HU26
2-1/2"	U27	HU27
3"	U28	HU28
3-1/2"	U29	HU29
4"	U30	HU30

U Bolt



Size	Code	
	PVC Coating	Stainless Steel 304
1/2"	PU21	S4U21
3/4"	PU22	S4U22
1"	PU23	S4U23
1-1/4"	PU24	S4U24
1-1/2"	PU25	S4U25
2"	PU26	S4U26
2-1/2"	PU27	S4U27
3"	PU28	S4U28
3-1/2"	PU29	S4U29
4"	PU30	S4U30

U Bolt Leaf



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	UL21	HUL21
3/4"	UL22	HUL22
1"	UL23	HUL23
1-1/4"	UL24	HUL24
1-1/2"	UL25	HUL25
2"	UL26	HUL26
2-1/2"	UL27	HUL27
3"	UL28	HUL28
3-1/2"	UL29	HUL29
4"	UL30	HUL30

Swivel Loop Hanger



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	SLH21	HSLH21
3/4"	SLH22	HSLH22
1"	SLH23	HSLH23
1-1/4"	SLH24	HSLH24
1-1/2"	SLH25	HSLH25
2"	SLH26	HSLH26
2-1/2"	SLH27	HSLH27
3"	SLH28	HSLH28
3-1/2"	SLH29	HSLH29
4"	SLH30	HSLH30

Clevis Pipe Hanger



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	CPH21	HCPH21
3/4"	CPH22	HCPH22
1"	CPH23	HCPH23
1-1/4"	CPH24	HCPH24
1-1/2"	CPH25	HCPH25
2"	CPH26	HCPH26
2-1/2"	CPH27	HCPH27
3"	CPH28	HCPH28
3-1/2"	CPH29	HCPH29
4"	CPH30	HCPH30

Pipe Hanger



Size	Code	
	Galvanized	Hot dip galvanized
1/2"	SH21	HSH21
3/4"	SH22	HSH22
1"	SH23	HSH23
1-1/4"	SH24	HSH24
1-1/2"	SH25	HSH25
2"	SH26	HSH26
2-1/2"	SH27	HSH27
3"	SH28	HSH28
3-1/2"	SH29	HSH29
4"	SH30	HSH30

AN PHUC STRUT FITTINGS

Macrofix



Size M: 8, 10

Size	Code	
	Galvanized	Stainless Steel
1/2"	MF21	SMF21
3/4"	MF22	SMF22
1"	MF23	SMF23
1-1/4"	MF24	SMF24
1-1/2"	MF25	SMF25
2"	MF26	SMF26
2-1/2"	MF27	SMF27
3"	MF28	SMF28
3-1/2"	MF29	SMF29
4"	MF30	SMF30

Loop Hanger



Size	Code	
	Galvanized	Hot dip Galvanized
1/2"	LH21	HLH21
3/4"	LH22	HLH22
1"	LH23	HLH23
1-1/4"	LH24	HLH24
1-1/2"	LH25	HLH25
2"	LH26	HLH26
2-1/2"	LH27	HLH27
3"	LH28	HLH28
3-1/2"	LH29	HLH29
4"	LH30	HLH30

AN PHUC CONDUIT FITTINGS

Beam Clamp - Galvanized

Size (mm)	Code
14	BC01
20	BC02
30	BC03
40	BC04



Beam Clamp - Hot dip galvanized

Size (mm)	Code
14	HBC01
20	HBC02
30	HBC03
40	HBC04

Applicable Hanger - Galvanized

Size	Code
1/2"	BC21
3/4"	BC22
1"	BC23
1-1/4"	BC24
1-1/2"	BC25
2"	BC26
2-1/2"	BC27
3"	BC28
3-1/2"	BC29
4"	BC30



Applicable Hanger - Hot dip galvanized

Size	Code
1/2"	HBC21
3/4"	HBC22
1"	HBC23
1-1/4"	HBC24
1-1/2"	HBC25
2"	HBC26
2-1/2"	HBC27
3"	HBC28
3-1/2"	HBC29
4"	HBC30

Pipe Hanger - Galvanized

Size	Code
1/2"	CH21
3/4"	CH22
1"	CH23
1-1/4"	CH24
1-1/2"	CH25
2"	CH26
2-1/2"	CH27
3"	CH28
3-1/2"	CH29
4"	CH30



Pipe Hanger - Hot dip galvanized

Size	Code
1/2"	HCH21
3/4"	HCH22
1"	HCH23
1-1/4"	HCH24
1-1/2"	HCH25
2"	HCH26
2-1/2"	HCH27
3"	HCH28
3-1/2"	HCH29
4"	HCH30

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

AN PHUC CONDUIT FITTINGS

• Clamp HB2 - Electroplate

Size	Code
M8	HB08
M10	HB10
M12	HB12



• Clamp HB2 - Hot dip galvanized

Size	Code
M8	HHB08
M10	HHB10
M12	HHB12

• TKE Clamp - Cast Iron

Size	Code
M8	TKE08
M10	TKE10
M12	TKE12



• Beam Clamp - Galvanized

Size	Code
M6	BC06
M8	BC08
M10	BC10
M12	BC12



• Beam Clamp - Hot dip galvanized

Size	Code
M6	HBC06
M8	HBC08
M10	HBC10
M12	HBC12

• Galvanized

Size	Code
1/2"	CH11
3/4"	CH12
1"	CH13
1-1/4"	CH14
1-1/2"	CH15
2"	CH16
2-1/2"	CH17
3"	CH18
4"	CH20




• Hot dip galvanized

Size	Code
1/2"	HCH11
3/4"	HCH12
1"	HCH13
1-1/4"	HCH14
1-1/2"	HCH15
2"	HCH16
2-1/2"	HCH17
3"	HCH18
4"	HCH20


CADDY STRUT FITTINGS

• K Clip




Φ 1 (In)	Φ 2 (mm)	Code
1/2"-3/4"	4-6.5	170670
3/4"-1"	4-6.5	170680
1"-1 1/4"	4-6.5	170690

• J-Ti/T Clip




A (mm)	Size	Code
1.5-4	M6	174870
1.5-4	M8	174960
1.5-4	M10	175050

• EER Clip



A (mm)	Code
0.8-3	171470

• VF Clip



Code
179850

• ESC Clip




Code
174560




CADDY STRUT FITTINGS

• H Clip




A (mm)	Code
2-3	170010
3-8	170020
8-14	170030
14-20	170040

• H-MA Clip



Size	Code
M6	173230
M8	173270
M10	173310

• H-Ti/T Clip




Size	Code
M6	174810
M8	174900
M10	174990

• MA/MA Clip



Size	Code
M6	173200
M8	173210
M10	173220


• MFA Clip




Size	Code
M6	160300




AN PHUC STRUT FITTINGS




Size	Code
41x21	DPSC2
41x41	DPSC4




Material	Code
Galvanized	SSC1
Hot dip galvanized	HSSC1




Material	Code
Galvanized	SSC2
Hot dip galvanized	HSSC2



Material	Code
Galvanized	SSC3
Hot dip galvanized	HSSC3



Material	Code
Galvanized	SSC4
Hot dip galvanized	HSSC4




Material	Code
Galvanized	SSC5
Hot dip galvanized	HSSC5


Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SYC3
Hot dip galvanized	HSYC3




Material	Code
Galvanized	SAC3
Hot dip galvanized	HSAC3




Material	Code
Galvanized	STC31
Hot dip galvanized	HSTC31



Material	Code
Galvanized	SCC5
Hot dip galvanized	HSCC5




Material	Code
Galvanized	STC22
Hot dip galvanized	HSTC22




Material	Code
Galvanized	SBC31
Hot dip galvanized	HSBC31


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SAC11
Hot dip galvanized	HSAC11




Material	Code
Galvanized	SAC13
Hot dip galvanized	HSAC13




Material	Code
Galvanized	SAC22
Hot dip galvanized	HSAC22



Material	Code
Galvanized	SAC31
Hot dip galvanized	HSAC31



Material	Code
Galvanized	SAAC3
Hot dip galvanized	HSAAC3




Material	Code
Galvanized	SAAC4
Hot dip galvanized	HSAAC4


Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SYC11
Hot dip galvanized	HSYC11




Material	Code
Galvanized	SYSC11
Hot dip galvanized	HSYSC11




Material	Code
Galvanized	SYC22
Hot dip galvanized	HSYC22




Material	Code
Galvanized	SIC13
Hot dip galvanized	HSIC13




Material	Code
Galvanized	SAC101
Hot dip galvanized	HSAC101




Material	Code
Galvanized	SAC111
Hot dip galvanized	HSAC111

AN PHUC STRUT FITTINGS



Material	Code
Galvanized	SVC41
Hot dip galvanized	HSVC41




Material	Code
Galvanized	SVC21
Hot dip galvanized	HSVC21




Material	Code
Galvanized	SVC241
Hot dip galvanized	HSVC241



Material	Code
Galvanized	SVC82
Hot dip galvanized	HSVC82



Material	Code
Galvanized	SUC4
Hot dip galvanized	HSUC4




Material	Code
Galvanized	SFC1
Hot dip galvanized	HSFC1


Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SFC11
Hot dip galvanized	HSFC11




Material	Code
Galvanized	SFC2
Hot dip galvanized	HSFC2




Material	Code
Galvanized	SFC33
Hot dip galvanized	HSFC33



Material	Code
Galvanized	SFC22
Hot dip galvanized	HSFC22




Material	Code
Galvanized	SBC1
Hot dip galvanized	HSBC1




Material	Code
Galvanized	SBC2
Hot dip galvanized	HSBC2


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SBC3
Hot dip galvanized	HSBC3




Material	Code
Galvanized	SBC4
Hot dip galvanized	HSBC4




Material	Code
Galvanized	SBC5
Hot dip galvanized	HSBC5



Material	Code
Galvanized	SBC6
Hot dip galvanized	HSBC6




Code	Length (mm)
CA2150	150
CA2300	300
CA2450	450




Code	Length (mm)
CA4150	150
CA4300	300
CA4450	450
CA4600	600
CA4750	750


AN PHUC STRUT FITTINGS




Code	Length (mm)
CA2151	150
CA2301	300
CA2451	450



Code	Length (mm)
CA4151	150
CA4201	200
CA4301	300
CA4451	450
CA4501	500
CA4601	600
CA4751	750



Code	Length (mm)
CA22300	300
CA22450	450
CA22600	600
CA22750	750



Code	Length (mm)
CA24300	300
CA24400	400
CA24450	450
CA24500	500
CA24600	600
CA24750	750
CA24800	800
CA24900	900
CA241050	1050



Code	Length (mm)
DCA4450	450
DCA4600	600



Code	Length (mm)
CAD12	120
CAD16	160
CAD21	210
CAD26	260
CAD31	310
CAD41	410
CAD51	510
CAD61	610

AN PHUC FITTINGS CABLE TRAY, TRUNKING, LADDER


- **Material** : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel
- Thickness**: 0.8mm, 1.0mm, 1.2mm, 1.5mm, 2.0mm, 2.5mm
- Length** : 3m/length



Size (mm)	Thickness (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
50 x 50	0.8	CTK050508	PCTK050508	HCTK050508
100 x 50	0.8	CTK100508	PCTK100508	HCTK100508
150 x 50	1.0	CTK150510	PCTK150510	HCTK150510
200 x 50	1.2	CTK200512	PCTK200512	HCTK200512
300 x 50	1.5	CTK300515	PCTK300515	HCTK300515
150 x 100	1.0	CTK151010	PCTK151010	HCTK151010
200 x 100	1.5	CTK201015	PCTK201015	HCTK201015
300 x 100	2.0	CTK301020	PCTK301020	HCTK301020
400 x 100	2.5	CTK401025	PCTK401025	HCTK401025

Cover : CTK + Size + Thickness + C
Ex : CTK050508C
PCTK050508C

- **Material** : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel
- Thickness**: 0.8mm, 1.0mm, 1.2mm, 1.5mm, 2.0mm, 2.5mm
- Length** : 3m/length



Size (mm)	Thickness (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	0.8	CT100508	PCT100508	HCT100508
150 x 50	1.0	CT150510	PCT150510	HCT150510
200 x 50	1.2	CT200512	PCT200512	HCT200512
300 x 50	1.5	CT300515	PCT300515	HCT300515
150 x 100	1.0	CT151010	PCT151010	HCT151010
200 x 100	1.5	CT201015	PCT201015	HCT201015
300 x 100	2.0	CT301020	PCT301020	HCT301020
400 x 100	2.5	CT401025	PCT401025	HCT401025

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

AN PHUC CABLE TRUNKING, CABLE TRAY, CABLE LADDER, WIRE MESH

- **Material** : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel
- Thickness**: 1.0mm, 1.2mm, 1.5mm, 2.0mm, 2.5mm
- Length** : 3m/length or 6m/length





























Size (mm)	Thickness (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	1.2	CL100512	PCL100512	HCL100512
150 x 50	1.5	CL150515	PCL150515	HCL150515
200 x 50	1.5	CL200515	PCL200515	HCL200515
300 x 50	1.5	CL300515	PCL300515	HCL300515
150 x 100	1.5	CL151015	PCL151015	HCL151015
200 x 100	1.5	CL201015	PCL201015	HCL201015
300 x 100	2.0	CL301020	PCL301020	HCL301020
400 x 100	2.5	CL401025	PCL401025	HCL401025

- **Material** : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel
- Diameter of round bar**: 4mm, 4.5mm, 5mm, 6mm



Size (mm)	Thickness (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	WM100540	PWM100540	HWM100540
150 x 50	4.0	WM150540	PWM150540	HWM150540
200 x 50	4.5	WM200545	PWM200545	HWM200545
300 x 50	4.5	WM300545	PWM300545	HWM300545
150 x 100	5.0	WM151050	PWM151050	HWM151050
200 x 100	5.0	WM201050	PWM201050	HWM201050
300 x 100	6.0	WM301060	PWM301060	HWM301060
400 x 100	6.0	WM401060	PWM401060	HWM401060

AN PHUC CABLE TRAY, TRUNKING, LADDER



				Straight Length
				Horizontal Elbow
				Horizontal Tee
				Horizontal Cross
				Concentric Reduction Coupling
				Right Reduction Coupling
				Left Reduction Coupling
				Vertical Elbow

AN PHUC - STRUCTURAL STEEL

● V Steel

Code	H (mm)	B (mm)	t (mm)	L (m)	W (kg/m)
V020036	20	20	3	6	0.382
V025036	25	25	3	6	1.12
V025046	25	25	4	6	1.45
V030036	30	30	3	6	1.36
V030046	30	30	4	6	1.78
V040036	40	40	3	6	1.85
V040046	40	40	4	6	2.42
V040056	40	40	5	6	2.97
V050036	50	50	3	6	2.50
V050046	50	50	4	6	2.70
V050056	50	50	5	6	3.60
V060056	60	60	5	6	4.30
V063046	63	63	4	6	3.80
V063056	63	63	5	6	4.60
V063066	63	63	6	6	5.40
V065066	65	65	6	6	5.70
V070056	70	70	5	6	5.20
V070066	70	70	6	6	6.10
V075066	75	75	6	6	6.40
V075086	75	75	8	6	8.70
V080066	80	80	6	6	7.00
V080076	80	80	7	6	8.51
V080086	80	80	8	6	9.20
V090086	90	90	8	6	10.90
V100076	100	100	7	6	10.48
V100086	100	100	8	6	11.83
V100106	100	100	10	6	15.00
V100126	100	100	12	6	17.80
V120086	120	120	8	6	14.70
V125096	125	125	9	6	17.24
V125106	125	125	10	6	19.10
V125126	125	125	12	6	22.70
V130096	130	130	9	6	17.90
V130126	130	130	12	6	23.40
V130156	130	130	15	6	36.75
V150126	150	150	12	6	27.30
V150156	150	150	15	6	33.60
V175126	175	175	12	6	31.80
V175156	175	175	15	6	39.40
V200156	200	200	15	6	45.30
V200206	200	200	20	6	59.70
V200256	200	200	25	6	73.60
V250256	250	250	25	6	93.70
V250356	250	250	35	6	129.0

* Special length can be requested



* Special length can be requested


● I Steel

Code	H (mm)	B (mm)	t1 (mm)	t2 (mm)	L (m)	W (kg/m)
I1000556	100	55	4.5	6.5	6	9.46
I1200646	120	64	4.8	6.5	6	11.5
I1500756	150	75	5	7	6	14.0
I1980996	198	99	4.5	7	6	18.2
I2001006	200	100	5.5	8	6	21.3
I2501256	250	125	6	9	6	29.6
I2981496	298	149	5.5	8	6	32.0
I3001506	300	150	6.5	9	6	36.7
I3461746	346	174	6	9	6	41.4
I3501756	350	175	7	11	6	49.6
I3961996	396	199	7	11	6	56.6
I4002006	400	200	8	13	6	66.0
I4461996	446	199	8	13	6	66.2
I4502006	450	200	9	14	6	76.0
I4961996	496	199	9	14	6	79.5
I5002006	500	200	10	16	6	89.6
I5003006	500	300	11	18	6	128
I5961996	596	199	10	15	6	94.6
I6002006	600	200	11	17	6	106
I6003006	600	300	12	20	6	151
I7003006	700	300	13	24	6	185
I8003006	800	300	14	26	6	210
I9003006	900	300	16	28	6	240

AN PHUC - STRUCTURAL STEEL

● H Steel

Code	H (mm)	B (mm)	t1 (mm)	t2 (mm)	L (m)	W (kg/m)
H1006	100	100	6	8	6	17.2
H1256	125	125	6.5	9	6	23.8
H1506	150	150	7	10	6	31.5
H1756	175	175	7.5	11	6	40.2
H2006	200	200	8	12	6	49.9
H2946	294	294	8	12	6	56.8
H2506	250	250	9	14	6	72.4
H3006	300	300	10	15	6	94.0
H3506	350	350	12	19	6	137
H4006	400	400	13	21	6	172



Special length can be requested

● U Steel

Code	H (mm)	B (mm)	t (mm)	L (m)	W (kg/m)
U05020286	50	20	2.8	6	4.48
U08039306	80	39	3	6	5.20
U10045346	100	45	3.4	6	5.83
U12050396	120	50	3.9	6	7.50
U14055506	140	55	5	6	10.49
U15073656	150	73	6.5	6	18.60
U16000526	160	56	5.2	6	12.50
U18070516	180	70	5.1	6	16.30
U20069546	200	69	5.4	6	17.30
U20075906	200	75	9	6	24.60
U20076526	200	76	5.2	6	18.40
U25076606	250	76	6	6	22.80
U28085996	280	85	9.9	6	34.81
U30082706	300	82	7	6	30.20
U32088806	320	88	8	6	38.10



Special length can be requested

● Steel Plate

Size	Thick ness (mm)	Mild Steel	Hot dip galvanized	Stainless Steel
50x50	5.0	P0505	HP0505	SP0505
100x100	5.0	P1005	HP1005	SP1005
200x200	5.0	P2005	HP2005	SP2005
250x250	5.0	P2505	HP2505	SP2505
300x300	5.0	P3005	HP3005	SP3005



Size and thickness can be requested

Ho Chi Minh

Lot 012 Thai An 2 Building, Nguyen Van Qua St.,
Dong Hung Thuan Ward, Dist. 12, HCMC, Vietnam
Tel: (84.28) 6 256 2125 / Fax: (84.28) 6 256 2126 / Email: info@anphuc.vn

AN PHUC - STRUCTURAL STEEL

- **Square Hollow Section - Kg/length/6m**
Material: Mild Steel, Hot dip galvanized

Thickness (mm)																	
Size	0.8	0.9	1.0	1.1	1.2	1.4	1.5	1.8	2.0	2.3	2.5	2.8	3.0	3.2	3.5	3.8	4.0
10x10	1.36	1.51	1.66	1.79	1.93												
10x30	2.87	3.20	3.54	3.87	4.19												
14x14	1.96	2.19	2.41	2.62	2.84	3.25	3.44										
14x24	2.72	3.04	3.35	3.66	3.67	4.56	4.85										
16x16	2.27	2.53	2.78	3.04	3.29	3.77	4.01										
20x20	2.87	3.20	3.54	3.87	4.19	4.82	5.14	6.04	6.62								
20x30	3.62	4.06	4.48	4.90	5.32	6.14	6.55	7.73	8.50								
20x40	4.37	4.90	5.42	5.94	6.45	7.46	7.96	9.43	10.39	11.79	12.70						
25x25	3.62	4.06	4.48	4.90	5.32	6.14	6.55	7.73	8.50								
25x50	3.67	4.12	4.56	5.00	5.44	6.30	6.73	7.99	8.82	10.04	10.84	12.01	12.79				
30x30	3.92	4.34	4.81	5.27	5.74	6.65	7.10	8.44	9.32	10.62	11.47	12.72	13.54	14.35	15.53		
30x60			5.49	6.02	6.55	7.60	8.12	9.67	10.68	12.19	13.17	14.62	15.58	16.52	17.92	19.28	20.18
40x40			6.10	6.69	7.28	8.45	9.03	10.76	11.90	13.58	14.69	16.32	17.40	18.47	20.04	21.59	22.61
40x80				7.65	8.33	9.67	10.34	12.33	13.64	15.59	16.87	18.77	20.02	21.26	23.09	24.91	26.10
40x100						10.13	10.83	12.92	14.29	16.33	17.68	19.68	20.99	22.30	24.23	26.14	27.40
50x50					10.42	12.12	12.96	15.47	17.14	19.60	21.23	23.66	25.25	26.84	29.21	31.54	33.08
60x60						15.37	16.45	19.66	21.78	24.94	27.04	30.16	32.23	34.28	37.34	40.37	42.38
60x120						18.00	19.27	23.04	25.54	29.27	31.74	35.42	37.86	40.29	43.91	47.51	49.89
90x90							24.86	29.75	32.99	37.84	41.06	45.86	49.05	52.22	56.96	61.68	64.81

- **Square Hollow Section - Kg/m**

Size	Thickness (mm)							
	3.2	4.0	4.5	5.0	6.0	8.0	9.0	12.0
100x100	9.5	11.7	13.1		17.0		24.1	30.2
125x75	9.5	11.7	13.1		17.0		24.1	
125x125	12.0		16.6	18.3	21.7		31.1	39.7
150x75	10.8		14.9		19.3		27.6	
150x100	12.0		16.6		21.7		31.1	39.7
150x150			20.1	22.3	26.4		38.2	49.1
172x125			20.1		26.4		38.2	49.1
175x175			23.3	26.2	31.1		45.3	58.5
200x100			20.1		26.4		38.2	49.1
200x150			23.7		31.1		45.3	58.5
200x200			27.2		35.8	46.9	52.3	67.9
250x150			27.2		35.8		52.3	67.9
250x250					45.2	59.5	66.5	86.8
300x200					45.2		66.5	86.8
300x300					54.7		80.6	106.0
350x150					45.2		66.5	86.8
350x250					54.7		80.6	106.0
400x200					54.7		80.6	106.0

- **Code: SHS + Size + Thickness**
Ex: SHS101008, SHS103012



PROJECT REFERENCES

OIL AND GAS INDUSTRY

- Thai Binh 2 Thermoelectric Plant
- Duyen Hai 3 Thermoelectric Plant
- Nghi Son Refinery Factory
- Aviation Fuelling Facilities at Tan Son Nhat International
- Dung Quat Refinery Factory
- LPG Dung Quat
- LPG Thi Vai



LPG Thi Vai

POWER PLANT

- First Solar
- Vinh Tan 2 Power Plant
- Vung Ang 1 Thermal Power Plant
- Ca Mau Power Plant
- O Mon 1 Power Plant



Ca Mau Power Plant

CEMENT PLANT

- Ha Tien 2 Cement Plant
- Thang Long Cement Plant
- Ha Long Cement Plant
- Binh Phuoc Cement Plant
- Thang Long Grinding Tetminal



Ha Tien 2 Cement Plant

BUILDING

- D1 Mension
- Feliz The Vista
- Rose Wood
- Keangnam Tower
- New Pearl Tower
- Sunrise City
- Times Square Tower
- Bitexco Financial Tower
- Kumho Asiana Tower



New Pearl Tower

FACTORY

- Cagill Binh Duong Factory
- Tungho Factory
- Formosa Ha Tinh Factory
- Hercules Viet Nam Factory
- Amway Viet Nam Factory
- NTPM Viet Nam Factory
- Paramount Beb Viet Nam Factory
- Damen Song Cam Shipyard Factory
- Cargill Binh Dinh Factory



Damen Song Cam Shipyard Factory

Steel & PVC conduits : An Phuc, Smartube,
Unipipe, Blue Eagle

Clamping & Conduit fitting : An Phuc, Caddy, Steel City

Cable Tray, Trungking, Ladder : An Phuc, Legrand, Unipipe

Lightning & Grounding systems : An Phuc, Kumwell, Hex

Lighting Fixture, Socket Outlet, Switch : Legrand, Gewiss

Explosion proof equipment : Govan, Gewiss, Bosston, CMP

Fire resistant cable, Electric wires : TMC, Untel, Wilson, Draka

Wiring Accessories : PB, KSS, Hex



AN PHUC MECHANICAL ELECTRICAL EQUIPMENT CO., LTD

Email: info@anphuc.vn

Web: www.anphuc.vn

012 Thai An 2 Building, Nguyen Van Qua St, Dist. 12, Ho Chi Minh City

Tel: 028. 6 256 2125

Fax: 028. 6 256 2126