


Cable Tray, Trungking, Ladder



Grounding, Lighting



Explosion Protected



Wiring Acessories

Sockets, Boxes



Lightings

CATALOGUE

AP[®]
AN PHUC

www.anphuc.vn

ABOUT US

OUR VISION

To be the supplier of choice of our customers and be their partner in their business needs.

OUR MISSION

To distribute high-quality products with a continued commitment to customers' and employees' satisfaction, thereby guaranteeing continuous company growth.

OUR CORE VALUES - *Because we CARE!*

Commitment - We do what we say and we own what we do.

Adaptability - We adapt to change or perish in a changing world.

Respect - We know it's nice to be important but it's important to be nice.

Enthusiasm - We love our work and we work with love.

OUR STORY

An Phuc Electrical Equipment Company Limited, a Trading & Manufacturing Company with wide distribution network in Viet Nam market and exporting to other countries in the world.

Established in the year 2002, we have a Head office located in Ho Chi Minh City and Factory in Tay Ninh province.

With many year experiences in providing industrial electrical equipments, we become a leading Distributor and Manufacturer of high quality products ranges & famous brands as mentioned below:

- Steel & PVC conduits	: An Phuc, Smartube, Legrand, Blue Eagle
- Clamping & Conduit fitting	: An Phuc, Caddy Steel City
- Cable Tray, Trungking, Ladder	: An Phuc, Legrand
- Lightning & Grounding systems	: Kumwell, HexAxis
- Lighting Fixture, Socket Outlet, Switch	: Legrand, Gewiss
- Explosion proof equipment	: Govan, Gewiss, Bosston, CMP
- Fire resistant cable, Electric wires	: TMC, Untel, Wilson, Draka
- Wiring Accessories	: PB, KSS, Hex

All products are tested by the International recognized testing stations, according to Standards of IEC, UL, BSEN, ATEX, JIS, TIS... Especially, for hazardous areas certified Zone 1 & 2, 21 & 22 Such as: IEC 60079 (ATEX), IEC 06679-1, IEC 60079-15, IEC 61241-0, EC 61241-1. Providing for Oil & Gas, Chemical, Marine, Cement and other Industrial Projects, An Phuc always commit to provide you our products with the best quality, best prices and best services through an ongoing commitment to development. This has made An Phuc successfully and reputed in the market of Viet Nam.

AN PHUC CABLE TRUNKING
Cable Trunking

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm

Length : 3m/length



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	CTK050410	PCTK050410	
100 x 50	1.0	CTK100510	PCTK100510	
150 x 50	1.0	CTK150510	PCTK150510	
100 x 50	1.2	CTK100512	PCTK100512	HCTK100512
200 x 50	1.2	CTK200512	PCTK200512	HCTK200512
300 x 50	1.5	CTK300515	PCTK300515	HCTK300515
400 x 50	2.0	CTK400520	PCTK400520	HCTK400520
500 x 50	2.0	CTK500520	PCTK500520	HCTK500520



Code : CTK + Size + Thickness

Ex : CTK050410; PCTK050410

Accessories for Cable Trunking
• Horizontal Elbow

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	120	ECTK050410	PECTK050410	
100 x 50	1.0	120	ECTK100510	PECTK100510	
150 x 50	1.0	120	ECTK150510	PECTK150510	
100 x 50	1.2	120	ECTK100512	PECTK100512	HECTK100512
200 x 50	1.2	150	ECTK200512	PECTK200512	HECTK200512
300 x 50	1.5	200	ECTK300515	PECTK300515	HECTK300515
400 x 50	2.0	200	ECTK400520	PECTK400520	HECTK400520
500 x 50	2.0	300	ECTK500520	PECTK500520	HECTK500520


Code : E + CTK + Size + Thickness

Ex : ECTK050410; PECTK050410

AN PHUC CABLE TRUNKING
• Internal

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	120	ICTK050410	PICTK050410	
100 x 50	1.0	120	ICTK100510	PICTK100510	
150 x 50	1.0	120	ICTK150510	PICTK150510	
100 x 50	1.2	120	ICTK100512	PICTK100512	HICTK100512
200 x 50	1.2	150	ICTK200512	PICTK200512	HICTK200512
300 x 50	1.5	200	ICTK300515	PICTK300515	HICTK300515
400 x 50	2.0	200	ICTK400520	PICTK400520	HICTK400520
500 x 50	2.0	300	ICTK500520	PICTK500520	HICTK500520


Code : I + CTK + Size + Thickness

Ex : ICTK050410; PICTK050410

• External Riser

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	120	ERCTK050410	PERCTK050410	
100 x 50	1.0	120	ERCTK100510	PERCTK100510	
150 x 50	1.0	120	ERCTK150510	PERCTK150510	
100 x 50	1.2	120	ERCTK100512	PERCTK100512	HERCTK100512
200 x 50	1.2	150	ERCTK200512	PERCTK200512	HERCTK200512
300 x 50	1.5	200	ERCTK300515	PERCTK300515	HERCTK300515
400 x 50	2.0	200	ERCTK400520	PERCTK400520	HERCTK400520
500 x 50	2.0	300	ERCTK500520	PERCTK500520	HERCTK500520

Code : ER + CTK + Size + Thickness


Ex : ERCTK050410; PERCTK050410

• Reducer

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm

Left Reducer



Right Reducer



Center Reducer



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Left Reducer	Right Reducer	Center Reducer
50 x 40	1.0	120	LRCTK050410	RRCTK050410	CRCTK050410
100 x 50	1.0	120	LRCTK100510	RRCTK100510	CRCTK100510
150 x 50	1.0	120	LRCTK150510	RRCTK150510	CRCTK150510
100 x 50	1.2	120	LRCTK100512	RRCTK100512	CRCTK100512
200 x 50	1.2	150	LRCTK200512	RRCTK200512	CRCTK200512
300 x 50	1.5	200	LRCTK300515	RRCTK300515	CRCTK300515
400 x 50	2.0	200	LRCTK400520	RRCTK400520	CRCTK400520
500 x 50	2.0	300	LRCTK500520	RRCTK500520	CRCTK500520

Code : LR/RR/CR + CTK + Size + Thickness


Ex : LRCTK050410; PLRCTK050410

Special Size can be requested.

AN PHUC CABLE TRUNKING
• Horizontal Tee

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	120	TCTK050410	PTCTK050410	
100 x 50	1.0	120	TCTK100510	PTCTK100510	
150 x 50	1.0	120	TCTK150510	PTCTK150510	
100 x 50	1.2	120	TCTK100512	PTCTK100512	HTCTK100512
200 x 50	1.2	150	TCTK200512	PTCTK200512	HTCTK200512
300 x 50	1.5	200	TCTK300515	PTCTK300515	HTCTK300515
400 x 50	2.0	200	TCTK400520	PTCTK400520	HTCTK400520
500 x 50	2.0	300	TCTK500520	PTCTK500520	HTCTK500520

Code : T + CTK + Size + Thickness


Ex : TCTK050410; PTCTK050410

Special Size can be requested.

• Horizontal Cross

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
50 x 40	1.0	120	CCTK050410	PCCTK050410	
100 x 50	1.0	120	CCTK100510	PCCTK100510	
150 x 50	1.0	120	CCTK150510	PCCTK150510	
100 x 50	1.2	120	CCTK100512	PCCTK100512	HCCTK100512
200 x 50	1.2	150	CCTK200512	PCCTK200512	HCCTK200512
300 x 50	1.5	200	CCTK300515	PCCTK300515	HCCTK300515
400 x 50	2.0	200	CCTK400520	PCCTK400520	HCCTK400520
500 x 50	2.0	300	CCTK500520	PCCTK500520	HCCTK500520

Code : R + CTK + Size + Thickness

Ex : RCTK050410; PRCTK050410



Special Size can be requested.

AN PHUC CABLE TRAY
Cable Tray

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm

Length : 3m/length



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	CT102510	PCT102510	
150 x 50	1.0	CT150510	PCT150510	
100 x 50	1.2	CT100512	PCT100512	HCT100512
200 x 50	1.2	CT200512	PCT200512	HCT200512
300 x 75	1.2	CT307512	PCT307512	HCT307512
400 x 75	1.5	CT407515	PCT407515	HCT407515
600 x 100	2.0	CT601020	PCT601020	HCT601020
1000 x 100	2.0	CT1001020	PCT1001020	HCT1001020



Code : CT + Size + Thickness

Ex : CT100510; HCT100512

Accessories for Cable Tray
• Horizontal Elbow

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	120	ECT102510	PECT102510	
150 x 50	1.0	120	ECT150510	PECT150510	
100 x 50	1.2	120	ECT100512	PECT100512	HECT100512
200 x 50	1.2	150	ECT200512	PECT200512	HECT200512
300 x 75	1.2	200	ECT307512	PECT307512	HECT307512
400 x 75	1.5	200	ECT407515	PECT407515	HECT407515
600 x 100	2.0	300	ECT601020	PECT601020	HECT601020
1000 x 100	2.0	450	ECT1001020	PECT1001020	HECT1001020


Code : ECT + Size + Thickness

Ex : ECT100510; HECT100512

AN PHUC CABLE TRAY
• Internal

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	120	ICT102510	PICT102510	
150 x 50	1.0	120	ICT150510	PICT150510	
100 x 50	1.2	120	ICT100512	PICT100512	HICT100512
200 x 50	1.2	150	ICT200512	PICT200512	HICT200512
300 x 75	1.2	200	ICT307512	PICT307512	HICT307512
400 x 75	1.5	200	ICT407515	PICT407515	HICT407515
600 x 100	2.0	300	ICT601020	PICT601020	HICT601020
1000 x 100	2.0	450	ICT1001020	PICT1001020	HICT1001020

Code : ICT + Size + Thickness


Ex : ICT100510; HICT100512

Special Size can be requested.

• External Riser

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	120	ERCT102510	PERCT102510	
150 x 50	1.0	120	ERCT150510	PERCT150510	
100 x 50	1.2	120	ERCT100512	PERCT100512	HERCT100512
200 x 50	1.2	150	ERCT200512	PERCT200512	HERCT200512
300 x 75	1.2	200	ERCT307512	PERCT307512	HERCT307512
400 x 75	1.5	200	ERCT407515	PERCT407515	HERCT407515
600 x 100	2.0	300	ERCT601020	PERCT601020	HERCT601020
1000 x 100	2.0	450	ERCT1001020	PERCT1001020	HERCT1001020

Code : ERCT + Size + Thickness

Ex : ERCT100510; HERCT100512

Special Size can be requested.

• Reducer


Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm


Left Reducer



Right Reducer



Center Reducer



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Left Reducer	Right Reducer	Center Reducer
100 x 25	1.0	120	LRCT102510	RRCT102510	
150 x 50	1.0	120	LRCT150510	RRCT150510	
100 x 50	1.2	120	LRCT100512	RRCT100512	CRCT100512
200 x 50	1.2	150	LRCT200512	RRCT200512	CRCT200512
300 x 75	1.2	200	LRCT307512	RRCT307512	CRCT307512
400 x 75	1.5	200	LRCT407515	RRCT407515	CRCT407515
600 x 100	2.0	300	LRCT601020	RRCT601020	CRCT601020
1000 x 100	2.0	450	LRCT1001020	RRCT1001020	CRCT1001020

Code : LR/RR/CR + CT + Size + Thickness



Ex : LRCT100510; HRRCT100512

Special Size can be requested.

AN PHUC CABLE TRAY
• Horizontal Tee

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	120	TCT102510	PTCT102510	
150 x 50	1.0	120	TCT150510	PTCT150510	
100 x 50	1.2	120	TCT100512	PTCT100512	HTCT100512
200 x 50	1.2	150	TCT200512	PTCT200512	HTCT200512
300 x 75	1.2	200	TCT307512	PTCT307512	HTCT307512
400 x 75	1.5	200	TCT407515	PTCT407515	HTCT407515
600 x 100	2.0	300	TCT601020	PTCT601020	HTCT601020
1000 x 100	2.0	450	TCT1001020	PTCT1001020	HTCT1001020


Code : TCT + Size + Thickness

Ex : TCT100510; HTCT100512

• Horizontal Cross

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.0mm; 1.2mm; 1.5mm; 2.0mm



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 25	1.0	120	CCT102510	PCCT102510	
150 x 50	1.0	120	CCT150510	PCCT150510	
100 x 50	1.2	120	CCT100512	PCCT100512	HCCT100512
200 x 50	1.2	150	CCT200512	PCCT200512	HCCT200512
300 x 75	1.2	200	CCT307512	PCCT307512	HCCT307512
400 x 75	1.5	200	CCT407515	PCCT407515	HCCT407515
600 x 100	2.0	300	CCT601020	PCCT601020	HCCT601020
1000 x 100	2.0	450	CCT1001020	PCCT1001020	HCCT1001020

Code : CCT + Size + Thickness


Ex : CCT100510; HCCT100512

AN PHUC CABLE LADDER
Cable Ladder

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm

Length : 3m/length



Size W x H (mm)	Thickness T (mm)	Code		
		Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	CL150712	PCL150712	HCL150712
300 x 100	1.2	CL301012	PCL301012	HCL301012
200 x 75	1.5	CL200715	PCL200715	HCL200715
400 x 75	1.5	CL400715	PCL400715	HCL400715
600 x 100	1.5	CL601015	PCL601015	HCL601015
700 x 100	2.0	CL701020	PCL701020	HCL701020
800 x 100	2.0	CL801020	PCL801020	HCL801020
1000 x 150	2.0	CL1001520	PCL1001520	HCL1001520

Special Size can be requested.



Code : CL + Size + Thickness

Ex : CL100510; HCL100512

Accessories for Cable Ladder
• Horizontal Elbow

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	200	ECL150712	PECL150712	HECL150712
300 x 100	1.2	200	ECL301012	PECL301012	HECL301012
200 x 75	1.5	200	ECL200715	PECL200715	HECL200715
400 x 75	1.5	200	ECL400715	PECL400715	HECL400715
600 x 100	1.5	300	ECL601015	PECL601015	HECL601015
700 x 100	2.0	300	ECL701020	PECL701020	HECL701020
800 x 100	2.0	450	ECL801020	PECL801020	HECL801020
1000 x 150	2.0	450	ECL1001520	PECL1001520	HECL1001520

Special Size can be requested.


Code : ECL + Size + Thickness

Ex : ECL100510; HECL100512

AN PHUC CABLE LADDER
• Internal

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	200	ICL150712	PICL150712	HICL150712
300 x 100	1.2	200	ICL301012	PICL301012	HICL301012
200 x 75	1.5	200	ICL200715	PICL200715	HICL200715
400 x 75	1.5	200	ICL400715	PICL400715	HICL400715
600 x 100	1.5	300	ICL601015	PICL601015	HICL601015
700 x 100	2.0	300	ICL701020	PICL701020	HICL701020
800 x 100	2.0	450	ICL801020	PICL801020	HICL801020
1000 x 150	2.0	450	ICL1001520	PICL1001520	HICL1001520

Special Size can be requested.


Code : ICL + Size + Thickness

Ex : ICL100510; HICL100512

• External Riser

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	200	ERCL150712	PERCL150712	HERCL150712
300 x 100	1.2	200	ERCL301012	PERCL301012	HERCL301012
200 x 75	1.5	200	ERCL200715	PERCL200715	HERCL200715
400 x 75	1.5	200	ERCL400715	PERCL400715	HERCL400715
600 x 100	1.5	300	ERCL601015	PERCL601015	HERCL601015
700 x 100	2.0	300	ERCL701020	PERCL701020	HERCL701020
800 x 100	2.0	450	ERCL801020	PERCL801020	HERCL801020
1000 x 150	2.0	450	ERCL1001520	PERCL1001520	HERCL1001520

Special Size can be requested.

Code : ERCL + Size + Thickness

Ex : ERCL100510; HERCL100512

• Reducer

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm

Left Reducer



Right Reducer



Center Reducer



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Left Reducer	Right Reducer	Center Reducer
150 x 75	1.2	200	LRCL150712	RRCL150712	CRCL150712
300 x 100	1.2	200	LRCL301012	RRCL301012	CRCL301012
200 x 75	1.5	200	LRCL200715	RRCL200715	CRCL200715
400 x 75	1.5	200	LRCL400715	RRCL400715	CRCL400715
600 x 100	1.5	300	LRCL601015	RRCL601015	CRCL601015
700 x 100	2.0	300	LRCL701020	RRCL701020	CRCL701020
800 x 100	2.0	450	LRCL801020	RRCL801020	CRCL801020
1000 x 150	2.0	450	LRCL1001520	RRCL1001520	CRCL1001520

Special Size can be requested.



Code : LR/RR/CR + CL + Size + Thickness

Ex : LRCL100510; HRRCL100512

AN PHUC CABLE LADDER
• Horizontal Tee

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	200	TCL150712	PTCL150712	HTCL150712
300 x 100	1.2	200	TCL301012	PTCL301012	HTCL301012
200 x 75	1.5	200	TCL200715	PTCL200715	HTCL200715
400 x 75	1.5	200	TCL400715	PTCL400715	HTCL400715
600 x 100	1.5	300	TCL601015	PTCL601015	HTCL601015
700 x 100	2.0	300	TCL701020	PTCL701020	HTCL701020
800 x 100	2.0	450	TCL801020	PTCL801020	HTCL801020
1000 x 150	2.0	450	TCL1001520	PTCL1001520	HTCL1001520

Special Size can be requested.


Code : **TCL + Size + Thickness**

Ex : CL100510; HCL100512

• Horizontal Cross

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Thickness : 1.2mm; 1.5mm; 2.0mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
150 x 75	1.2	200	CCL150712	PCCL150712	HCCL150712
300 x 100	1.2	200	CCL301012	PCCL301012	HCCL301012
200 x 75	1.5	200	CCL200715	PCCL200715	HCCL200715
400 x 75	1.5	200	CCL400715	PCCL400715	HCCL400715
600 x 100	1.5	300	CCL601015	PCCL601015	HCCL601015
700 x 100	2.0	300	CCL701020	PCCL701020	HCCL701020
800 x 100	2.0	450	CCL801020	PCCL801020	HCCL801020
1000 x 150	2.0	450	CCL1001520	PCCL1001520	HCCL1001520

Code : **CCL + Size + Thickness**

Ex : CCL100510; HCCL100512

Special Size can be requested.


AN PHUC WIRE MESH
Wire Mesh

Material : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel 304- 316

Diameter of round bar: 4mm, 5mm, 6mm.

Standard Distance: 100mm

Length : 3m/length



Size W x H (mm)	Thickness T (mm)	Code		
		Galvanized	Hot dip Galvanized	Stainless Steel 304
100 x 50	4.0	WM10054	HWM10054	S4WM10054
150 x 50	4.0	WM15054	HWM15054	S4WM15054
300 x 50	4.0	WM30054	HWM30054	S4WM30054
150 x 100	5.0	WM15105	HWM15105	S4WM15105
200 x 100	5.0	WM20105	HWM20105	S4WM20105
300 x 100	5.0	WM30105	HWM30105	S4WM30105
400 x 150	6.0	WM40156	HWM40156	S4WM40156
600 x 150	6.0	WM60156	HWM60156	S4WM60156

Special Size can be requested.

Code : **WM + Size + Thickness**


Ex : WM60105; PWM60105

Accessories for Wire Mesh
• Horizontal Elbow

Material : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel 304- 316

Diameter of round bar: 4mm, 5mm, 6mm.

Standard Distance: 100mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	150	EWM10054	HEWM10054	S4EWM10054
150 x 50	4.0	150	EWM15054	HEWM15054	S4EWM15054
300 x 50	4.0	150	EWM30054	HEWM30054	S4EWM30054
150 x 100	5.0	300	EWM15105	HEWM15105	S4EWM15105
200 x 100	5.0	300	EWM20105	HEWM20105	S4EWM20105
300 x 100	5.0	300	EWM30105	HEWM30105	S4EWM30105
400 x 150	6.0	450	EWM40156	HEWM40156	S4EWM40156
600 x 150	6.0	450	EWM60156	HEWM60156	S4EWM60156

Special Size can be requested.

Code : **EWM + Size + Thickness**

Ex : EWM60105; PEWM60105


AN PHUC WIRE MESH

Material : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel 304- 316

Diameter of round bar: 4mm, 5mm, 6mm.

Standard Distance: 100mm

• **Internal**




Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	150	IWM10054	HIWM10054	S4IWM10054
150 x 50	4.0	150	IWM10054	HIWM15054	S4IWM15054
300 x 50	4.0	150	IWM30054	HIWM30054	S4IWM30054
150 x 100	5.0	300	IWM15105	HIWM15105	S4IWM15105
200 x 100	5.0	300	IWM20105	HIWM20105	S4IWM20105
300 x 100	5.0	300	IWM30105	HIWM30105	S4IWM30105
400 x 150	6.0	450	IWM40156	HIWM40156	S4IWM40156
600 x 150	6.0	450	IWM60156	HIWM60156	S4IWM60156

Code : IWM + Size + Thickness

Ex : IWM60105; PIWM60105

• **External Riser**



Special Size can be requested.


Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	150	ERWM10054	HERWM10054	S4ERWM10054
150 x 50	4.0	150	ERWM15054	HERWM15054	S4ERWM15054
300 x 50	4.0	150	ERWM30054	HERWM30054	S4ERWM30054
150 x 100	5.0	300	ERWM15105	HERWM15105	S4ERWM15105
200 x 100	5.0	300	ERWM20105	HERWM20105	S4ERWM20105
300 x 100	5.0	300	ERWM30105	HERWM30105	S4ERWM30105
400 x 150	6.0	450	ERWM40156	HERWM40156	S4ERWM40156
600 x 150	6.0	450	ERWM60156	HERWM60156	S4ERWM60156

Code : ERWM + Size + Thickness

Ex : ERWM60105; PERWM60105

• **Reducer**

Left Reducer



Right Reducer



Center Reducer



Special Size can be requested.

Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Left Reducer	Right Reducer	Center Reducer
100 x 50	4.0	150	LRWM10054	RRWM10054	CRWM10054
150 x 50	4.0	150	LRWM15054	RRWM15054	CRWM15054
300 x 50	4.0	150	LRWM30054	RRWM30054	CRWM30054
150 x 100	5.0	300	LRWM15105	RRWM15105	CRWM15105
200 x 100	5.0	300	LRWM20105	RRWM20105	CRWM20105
300 x 100	5.0	300	LRWM30105	RRWM30105	CRWM30105
400 x 150	6.0	450	LRWM40156	RRWM40156	CRWM40156
600 x 150	6.0	450	LRWM60156	RRWM60156	CRWM60156

Code : LR/RR/CR + WM + Size + Thickness


Ex : LRWM60105; PCRWM60105

AN PHUC WIRE MESH
• Horizontal Tee

Material : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel 304- 316

Diameter of round bar: 4mm, 5mm, 6mm.

Standard Distance: 100mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	150	TWM10054	HTWM10054	S4TWM10054
150 x 50	4.0	150	TWM15054	HTWM15054	S4TWM15054
300 x 50	4.0	150	TWM30054	HTWM30054	S4TWM30054
150 x 100	5.0	300	TWM15105	HTWM15105	S4TWM15105
200 x 100	5.0	300	TWM20105	HTWM20105	S4TWM20105
300 x 100	5.0	300	TWM30105	HTWM30105	S4TWM30105
400 x 150	6.0	450	TWM40156	HTWM40156	S4TWM40156
600 x 150	6.0	450	TWM60156	HTWM60156	S4TWM60156

Special Size can be requested.

Code : TWM + Size + Thickness


Ex : TWM60105; PTWM60105

• Horizontal Cross

Material : Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel 304- 316

Diameter of round bar: 4mm, 5mm, 6mm.

Standard Distance: 100mm



Size W x H (mm)	Thickness T (mm)	Radius R (mm)	Code		
			Galvanized	Powder Coated	Hot dip Galvanized
100 x 50	4.0	150	CWM10054	HCWM10054	S4CWM10054
150 x 50	4.0	150	CWM15054	HCWM15054	S4CWM15054
300 x 50	4.0	150	CWM30054	HCWM30054	S4CWM30054
150 x 100	5.0	300	CWM15105	HCWM15105	S4CWM15105
200 x 100	5.0	300	CWM20105	HCWM20105	S4CWM20105
300 x 100	5.0	300	CWM30105	HCWM30105	S4CWM30105
400 x 150	6.0	450	CWM40156	HCWM40156	S4CWM40156
600 x 150	6.0	450	CWM60156	HCWM60156	S4CWM60156

Special Size can be requested.

Code : CWM + Size + Thickness

Ex : CWM60105; PCWM60105

AN PHUC FITTING

Cable Tray- Covers

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Length : 3m/length



Cable Tray Elbow- Covers



External Riser- Covers



Internal Riser- Covers



Left Reducer- Covers



Right Reducer- Covers



Center Reducer- Covers



Tee- Covers




Cross- Covers




Cable Ladder- Covers

Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Length : 3m/length



Type 1




Type 2



Code : CL + Size + Thickness + C

Ex : CL050410C; PCTK050410

Cable Ladder- Connector





Tray to Box Connector



Cable Ladder- Divider Strip



Cable Ladder- Divider Hook



AN PHUC FITTINGS
Thread Rod - Steel


Size	Code		Length (m)
	Galvanized	Hot dip galvanized	
M6	TRM61		1
M6	TRM62		2
M6	TRM63		3
M8	TRM81	HTRM81	1
M8	TRM82	HTRM82	2
M8	TRM83	HTRM83	3
M10	TRM101	HTRM101	1
M10	TRM102	HTRM102	2
M10	TRM103	HTRM103	3
M12	TRM121	HTRM121	1
M12	TRM122	HTRM122	2
M12	TRM123	HTRM123	3

Thread Rod - Inox 1m


Size	Code		
	Inox 201	Inox 304	Inox 316
M6	S1TRM61	S4TRM61	S6TRM61
M8	S1TRM81	S4TRM81	S6TRM81
M10	S1TRM101	S4TRM101	S6TRM101
M12	S1TRM121	S4TRM121	S6TRM121

End close thread rod - PVC


Size	Code
M6	ET6
M8	ET8
M10	ET10
M12	ET12

Thread Rod Coupling


Size	Code		
	Galvanized	Hot dip galvanized	Stainless Steel
M6	TRC6	HTRC6	S_TRC6
M8	TRC8	HTRC8	S_TRC8
M10	TRC10	HTRC10	S_TRC10
M12	TRC12	HTRC12	S_TRC12

Hexagon Nut


Size	Code		
	Galvanized	Hot dip galvanized	Stainless Steel
M6	N6	HN6	S_N6
M8	N8	HN8	S_N8
M10	N10	HN10	S_N10
M12	N12	HN12	S_N12

Washer


Size	Code		
	Galvanized	Hot dip galvanized	Stainless Steel
M6	W6	HW6	S_W6
M8	W8	HW8	S_W8
M10	W10	HW10	S_W10
M12	W12	HW12	S_W12

Spring Washer


Size	Code		
	Galvanized	Hot dip galvanized	Stainless Steel
M6	WS6	HWS6	S_SW6
M8	WS8	HWS8	S_SW8
M10	WS10	HWS10	S_SW10
M12	WS12	HWS12	S_SW12

Bulong- Length 40mm


Size	Code		
	Galvanized	Hot dip galvanized	Inox
M6	BL640	HBL640	SBL640
M8	BL840	HBL840	SBL840
M10	BL1040	HBL1040	SBL1040
M12	BL1240	HBL1240	SBL1240

Anchor- Electroplate, Stainless Steel

TK

TKN

Size	Code	
	Drop In Anchor	Bolt Anchor
M6	TK625	TKN650
M8	TK830	TKN860
M10	TK1040	TKN1060
M12	TK1250	TKN1260


Round Head Bolt

Round Head Square Neck Bolt

Flanged Hex Nut

Special size and length can be requested


AN PHUC FITTINGS

Clamp HB2 - Electroplate


Size	Code	
	Electroplate	Hot dip galvanized
M8	HB08	HHB08
M10	HB10	HHB10
M12	HB12	HHB12




Clevis Hanger




Hold Down Clamp- J Type




Hold Down Clamp- S Type




Cover Clamp For Ladder




Cover Clamp For Tray




U Channel & J Hook




Cover Clamp H Type



Cover Clamp Q Type



Cover Clamp L Type




Material : Pre Galvanized, Powder Coated, Hot dip galvanized, Stainless Steel

Flexible Copper Braid Bond




Special Size can be requested.

AN PHUC FITTINGS
Strut Unslotted - Galvanized



Size	Code
41x21x1.5	DPS2150
41x21x2.0	DPS2200
41x21x2.5	DPS2250
41x41x1.5	DPS4150
41x41x2.0	DPS4200
41x41x2.5	DPS4250
41x41x1.5x2	DPS8150
41x41x2.0x2	DPS8200
41x41x2.5x2	DPS8250

Strut Unslotted - Powder Coated


Size	Code
41x21x1.5	PDPS2150
41x21x2.0	PDPS2220
41x21x2.5	PDPS2250
41x41x1.5	PDPS4150
41x41x2.0	PDPS4200
41x41x2.5	PDPS4250
41x41x1.5x2	PDPS8150
41x41x2.0x2	PDPS8200
41x41x2.5x2	PDPS8250

Strut Unslotted - Hot Dip Galvanized


Size	Code
41x21x1.5	HDPS2150
41x21x2.0	HDPS2200
41x21x2.5	HDPS2250
41x41x1.5	HDPS4150
41x41x2.0	HDPS4200
41x41x2.5	HDPS4250
41x41x1.5x2	HDPS8150
41x41x2.0x2	HDPS8200
41x41x2.5x2	HDPS8250

Strut Unslotted - Stainless steel (S304)


Size	Code
41x21x1.5	S4DPS2150
41x21x2.0	S4DPS2200
41x21x2.5	S4DPS2250
41x41x1.5	S4DPS4150
41x41x2.0	S4DPS4200
41x41x2.5	S4DPS4250
41x41x1.5x2	S4DPS8150
41x41x2.0x2	S4DPS8200
41x41x2.5x2	S4DPS8250

Strut Slotted - Galvanized


Size	Code
41x21x1.5	DPS2151
41x21x2.0	DPS2201
41x21x2.5	DPS2251
41x41x1.5	DPS4151
41x41x2.0	DPS4201
41x41x2.5	DPS4251
41x41x1.5x2	DPS8151
41x41x2.0x2	DPS8201
41x41x2.5x2	DPS8251

Strut Slotted - Powder Coated


Size	Code
41x21x1.5	PDPS2151
41x21x2.0	PDPS2201
41x21x2.5	PDPS2251
41x41x1.5	PDPS4151
41x41x2.0	PDPS4201
41x41x2.5	PDPS4251
41x41x1.5x2	PDPS8151
41x41x2.0x2	PDPS8201
41x41x2.5x2	PDPS8251


Strut Slotted - Hot Dip Galvanized


Size	Code
41x21x1.5	HDPS2151
41x21x2.0	HDPS2201
41x21x2.5	HDPS2251
41x41x1.5	HDPS4151
41x41x2.0	HDPS4201
41x41x2.5	HDPS4251
41x41x1.5x2	HDPS8151
41x41x2.0x2	HDPS8201
41x41x2.5x2	HDPS8251


Strut Slotted - Stainless steel (S304)


Size	Code
41x21x1.5	S4DPS2151
41x21x2.0	S4DPS2201
41x21x2.5	S4DPS2251
41x41x1.5	S4DPS4151
41x41x2.0	S4DPS4201
41x41x2.5	S4DPS4251
41x41x1.5x2	S4DPS8151
41x41x2.0x2	S4DPS8201
41x41x2.5x2	S4DPS8251


AN PHUC STRUT FITTINGS




Size	Code
41x21	DPSC2
41x41	DPSC4




Material	Code
Galvanized	SSC1
Hot dip galvanized	HSSC1




Material	Code
Galvanized	SSC2
Hot dip galvanized	HSSC2




Material	Code
Galvanized	SSC3
Hot dip galvanized	HSSC3




Material	Code
Galvanized	SSC4
Hot dip galvanized	HSSC4



Material	Code
Galvanized	SSC5
Hot dip galvanized	HSSC5




Material	Code
Galvanized	SYC3
Hot dip galvanized	HSYC3




Material	Code
Galvanized	SAC3
Hot dip galvanized	HSAC3


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	STC31
Hot dip galvanized	HSTC31




Material	Code
Galvanized	SCC5
Hot dip galvanized	HSCC5




Material	Code
Galvanized	STC22
Hot dip galvanized	HSTC22




Material	Code
Galvanized	SBC31
Hot dip galvanized	HSBC31




Material	Code
Galvanized	SAC11
Hot dip galvanized	HSAC11



Material	Code
Galvanized	SAC13
Hot dip galvanized	HSAC13




Material	Code
Galvanized	SAC22
Hot dip galvanized	HSAC22




Material	Code
Galvanized	SAC31
Hot dip galvanized	HSAC31


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SAAC3
Hot dip galvanized	HSAAC3




Material	Code
Galvanized	SAAC4
Hot dip galvanized	HSAAC4




Material	Code
Galvanized	SYC11
Hot dip galvanized	HSYC11




Material	Code
Galvanized	SYSC11
Hot dip galvanized	HSYSC11




Material	Code
Galvanized	SYC22
Hot dip galvanized	HSYC22



Material	Code
Galvanized	SIC13
Hot dip galvanized	HSIC13




Material	Code
Galvanized	SAC101
Hot dip galvanized	HSAC101




Material	Code
Galvanized	SAC111
Hot dip galvanized	HSAC111


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SVC41
Hot dip galvanized	HSVC41




Material	Code
Galvanized	SVC21
Hot dip galvanized	HSVC21




Material	Code
Galvanized	SVC241
Hot dip galvanized	HSVC241




Material	Code
Galvanized	SVC82
Hot dip galvanized	HSVC82




Material	Code
Galvanized	SUC4
Hot dip galvanized	HSUC4



Material	Code
Galvanized	SFC1
Hot dip galvanized	HSFC1




Material	Code
Galvanized	SFC11
Hot dip galvanized	HSFC11




Material	Code
Galvanized	SFC2
Hot dip galvanized	HSFC2


AN PHUC STRUT FITTINGS




Material	Code
Galvanized	SFC33
Hot dip galvanized	HSFC33




Material	Code
Galvanized	SFC22
Hot dip galvanized	HSFC22




Material	Code
Galvanized	SBC1
Hot dip galvanized	HSBC1




Material	Code
Galvanized	SBC2
Hot dip galvanized	HSBC2




Material	Code
Galvanized	SBC3
Hot dip galvanized	HSBC3



Material	Code
Galvanized	SBC4
Hot dip galvanized	HSBC4




Material	Code
Galvanized	SBC5
Hot dip galvanized	HSBC5




Material	Code
Galvanized	SBC6
Hot dip galvanized	HSBC6

AN PHUC STRUT FITTINGS




Code	Length (mm)
CA2150	150
CA2300	300
CA2450	450

Special Length can be requested.




Code	Length (mm)
CA4150	150
CA4300	300
CA4450	450
CA4600	600
CA4750	750

Special Length can be requested.




Code	Length (mm)
CA2151	150
CA2301	300
CA2451	450

Special Length can be requested.




Code	Length (mm)
CA4151	150
CA4301	300
CA4451	450
CA4601	600
CA4751	750

Special Length can be requested.




Code	Length (mm)
CA22300	300
CA22450	450
CA22600	600
CA22750	750

Special Length can be requested.



Code	Length (mm)
CA24300	300
CA24450	450
CA24600	600
CA24800	800
CA241050	1050

Special Length can be requested.



Code	Length (mm)
DCA4450	450
DCA4600	600

AN PHUC STRUT FITTINGS



Special Length can be requested.

Code	Length (mm)
CAD12	120
CAD16	160
CAD21	210
CAD31	310
CAD41	410
CAD61	610

Clamp for Unistrut- Conduit



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	CC21	HCC21
3/4"	CC22	HCC22
1"	CC23	HCC23
1-1/4"	CC24	HCC24
1-1/2"	CC25	HCC25
2"	CC26	HCC26
2-1/2"	CC27	HCC27
3"	CC28	HCC28
3-1/2"	CC29	HCC29
4"	CC30	HCC30
5"	CC31	HCC31
6"	CC32	HCC32

Beam Clamp



Size	Code	
	Galvanized	Hot Dip Galvanized
14	BC01	HBC01
20	BC02	HBC02
30	BC03	HBC03
40	BC04	HBC04

Applicable Hanger



Size	Code	
	Galvanized	Hot Dip Galvanized
1/2"	BC21	HBC21
3/4"	BC22	HBC22
1"	BC23	HBC23
1-1/4"	BC24	HBC24
1-1/2"	BC25	HBC25
2"	BC26	HBC26
2-1/2"	BC27	HBC27
3"	BC28	HBC28
3-1/2"	BC29	HBC29
4"	BC30	HBC30

AN PHUC STRUT FITTINGS

Spring Nut



Size	Code	
	Galvanized	Hot Dip Galvanized
M6	UM006	HUM006
M8	UM008	HUM008
M10	UM010	HUM010
M12	UM012	HUM012



For Unistrut 41x21


Size	Code	
	Galvanized	Hot Dip Galvanized
M6	UM206	HUM206
M8	UM208	HUM208
M10	UM210	HUM210
M12	UM212	HUM212



For Unistrut 41x41

Size	Code	
	Galvanized	Hot Dip Galvanized
M6	UM406	HUM406
M8	UM408	HUM408
M10	UM410	HUM410
M12	UM412	HUM412

D Clip



Angle (_0)	Code	
	Galvanized	Hot Dip Galvanized
0	DC1	HDC1
15	DC2	HDC2
345	DC3	HDC3



2020

Project : **LONG SON PETROCHEMICALS- LSP**
Location : Long Son, Tan Thanh District, Ba Ria– Vung Tau Province
Owner : Long Son Petrochemicals Company Limited
Product : Steel conduits & accessories, Grounding & Lightning



Project : **VAN PHONG 1 BOT**
Location : Van Phong EZ, Nha Trang City, Khanh Hoa
Owner : Van Phong Power Company Limited
Product : Steel conduits & accessories, Grounding & Lightning



Project : **1500 HOSPITAL**
Location : My Phuoc – Tan Van, Thu Dau Mot, Binh Duong Province
Owner : Binh Duong Province
Product : Grounding & Lightning



Project : **SHWE LIN PAN (SLP) DEPOT**
Location : Shwe Lin Pan, Hlaing Thar Yar Township, Yangon, Myanmar
Owner : Denko Petrochemical Management Co., Ltd
Product : Grounding & Lightning


Project : **BULK DELIVERY SYSTEM PROJECT – PACKAGE 1**
Location : Cai Mep IZ, Tan Thanh District, Ba Ria – Vung Tau Province
Owner : AGC CHEMICALS VIETNAM CO. LTD (ACVN)
Product : Grounding & Lightning

2019

Project : **VJG PHU MY 3**
Location : Phu My 3 Industrial Zone, Vung Tau Province
Owner : Vietnam Japan Gas JSC (VJG)
Product : Steel conduits & accessories



Project : **HYATT**
Location : Phnom Penh- Cambodia
Owner : Chip Mong Group
Product : Steel conduits & accessories



Project : **VOPAK GD3 FACTORY**
Location : Nhon Trach Industrial Zone, Dong Nai Province
Owner : Vopak Vietnam
Product : Steel conduits & accessories



Project : **ATC RESORT CON DAO (LEKIMA)**
Location : 08, 10, 12, 14 Ton Duc Thang, Con Dao
Owner : Phat Dat
Product : Grounding & Lingtning



Project : **RIVERA POINT**
Location : District 7, HCM City
Owner : Kepper Land
Product : Steel conduits & accessories, Grounding & Lingtning



Project : **HYOSUNG LPG CAVERN**
Location : Phu My 3 Industrial Zone, Vung Tau Province
Owner : Hyosung
Product : Steel conduits & accessories, Grounding & Lingtning

2018

Project : **FELIZ EN VIST**

Location : 01 Phan Van Dang St, Thanh My Loi Ward, Dist. 2, HCM .

Owner : CapitaLand

Product : PVC Conduit & accessories, Grounding & Lingtning.



Project : **D1 MENSION**

Location : 608 Vo Van Kiet St, Cau Kho Ward, Dist. 1, HCM City.

Owner : CapitaLand

Product : PVC Conduit & accessories.



Project : **CELADON TAN PHU BLOCK A&B, E&F**

Location : 88 Bo Bao Tan Thang St, Son Ky Ward, Tan Phu District

Owner : GAMUDA LAND

Product : Grounding & Lingtning



Project : **LU THAI AN GIANG FACTORY**

Location : Binh Hoa Industrial Zone, Chau Thanh Town, An Giang Province

Owner : Lu Thai Viet Nam Company

Product : Steel conduits & accessories



Project : **FIRST SOLAR KRONG PA**

Location : Chu Gu, Krong Pa Town, Gia Lai Province

Owner : Gia Lai Company

Product : Grounding & Lingtning



Project : **SONG HAU 1 FACTORY**

Location : Phu Huu A, Chau Thanh Town, Hau Giang Province

Owner : PVN

Product : Steel conduits & accessories, Grounding & Lingtning



2017

Project : **CAGILL BINH DUONG FACTORY**

Location : Bau Bang Industrial Zone, Bau Bang Town, Binh Duong
Province

Owner : Cargill Viet Nam Company

Product : Steel conduits & accessories



Project : **TUNGHO FACTORY**

Location : Phu My II Industrial Zone, Tan Thanh Town, Vung Tau
Province

Owner : Tung Ho Steel Vietnam Corporation Limited

Product : Steel conduits & accessories



Project : **KOLON FACTORY**

Location : Bau Bang Industrial Zone, Bau Bang Town, Binh Duong
Province

Owner : Kolon Industries

Product : Steel conduits & accessories



Project : **FIRST SOLAR**

Location : Dong Nam Industrial Zone, Cu Chi Town, HCMC

Owner : First Solar Group

Product : Steel conduits & accessories, Grounding & Lightning, Socket & Outlet



Project : **LU THAI TEXTILE FABRIC PLANT**

Location : Phuoc Dong Industrial Zone, Go Dau Town, Tay Ninh
Province

Owner : Lu Thai Vietnam Co., Ltd

Product : Steel conduits & accessories



Project : **PHU MY FERTILIZED PLANT**

Location : Phu My Industry Zone, An Thanh District, Ba Ria- Vung Tau.
Owner : Viet Nam Petroleum Corporation (Viet Nam National Oil and Gas Group)

Product : Steel conduits & accessories



Steel & PVC conduits	: An Phuc, Smartube, Legrand, Blue Eagle
Clamping & Conduit fitting	: An Phuc, Caddy, Steel City
Cable Tray, Trungking, Ladder	: An Phuc, Legrand
Lightning & Grounding systems	: Kumwell, Hex, Axis
Lighting Fixture, Socket Outlet, Switch : Legrand, Gewiss	
Explosion proof equipment	: Govan, Gewiss, Bosston, CMP
Fire resistant cable, Electric wires	: TMC, Untel, Wilson, Draka
Wiring Accessories	: PB, KSS, Hex



AN PHUC ELECTRICAL EQUIPMENT CO., LTD

Email: info@anphuc.vn

Web: www.anphuc.vn

012 Thai An 2 Building, Nguyen Van Qua St, Dist. 12, Ho Chi Minh City

Tel: 08. 6 256 2125

Fax: 08. 6 256 2126